



## **BHARATSANCHARNIGAMLIMITED**

(A Govt of India  
Enterprise) ` (ElectricalWing)

O/oTheExecutiveEngineer(E)

BSNL Electrical Division-

IIINo.22, Kellys

Road,Chennai-600010.

Office:044-26474545,26478616

E-mail:eedn3@gmail.com

## **TENDERDOCUMENT**

**NAMEOFWORK:** Pdg. Comprehensive Maintenance of Electro Mechanical Services  
in Staff Quarters at Perungudi & RK Nagar, Chennai. (For October 24 to March 25)

**NITNo:** 52/EEE/ED-III/CH/2024-25

This tender document contains **45 (forty five)** pages only.

(Tobefilled inbytheContractor)

**Name ofthe Agency** .....

**Address** .....

.....

.....

**TelephoneNo.ofagency:**

# **INDEX**

<b>SL.No</b>	<b>Description</b>	<b>Pageno.</b>
1	FrontcoverandIndex	2
2	NoticeInvitingTenderform-BSNL EW6	3
3	GeneralInstructionstotheBidders	9
4	UndertakingtoabidebyEW 6&EW 8(Form 'A')	11
5	UndertakingregardingEPF&ESIprovisions(Form'B')	12
6	Performancereportofworks(Form'C')&NoNearrelative workingcertificate(Form 'D')	13
7	ModelformofBankGuaranteeforEMD(Annexure-I)	14
8	Model form of Performance security Guarantee bond(Annexure-II)	15
9	ImportantInstructionstotenderer	16
10	ScheduleofQuantities	19
11	TechnicalSpecification	23
12	List ofApprovedMakes	43
13	Listofrelevant IndianStandards	45
14	ProformaSchedules	46
15	BSNLEW– 8 form	47

## INFORMATION AND INSTRUCTIONS FOR BIDDERS

The Executive Engineer (Elect), BSNL, ED-III, Chennai on behalf of the CMD, BSNL invites Item rate bids from eligible bidders in Single bid system for the following work:

**NIT No: 52/EEE/ED-III/CH/2024-25**

1	Name of work	<b>Pdg. Comprehensive Maintenance of Electro Mechanical Services in Staff Quarters at Perungudi &amp; RK Nagar, Chennai. (For October 24 to March 25)</b>
2	Estimated cost put to tender	<b>Rs.152251/-</b>
3	Earnest Money	<b>Rs.3045/-</b>
4	Period of completion	<b>Two months</b>
5	Tender Fee (Non-refundable)	<b>Rs.500/- (+) GST 18% = 590/-</b>
6	Last date & time for submission of tender	<b>Upto 15:00 Hrs. on 08.10.2024</b>
7	Date and time for opening of tender	<b>15:30 Hrs. on 08.10.2024</b>

### Eligibility Criteria:

The Contractor shall satisfy the following conditions:

- 1 Average annual turnover during the last 3 years, ending 31<sup>st</sup> March of the previous financial year, should be at least 30% of the estimated cost put to tender.

AND

BSNL enlisted contractors in Electrical category of respective class as per their tendering limits.

OR

- 2 Experience of having successfully completed similar works in BSNL comprising of Electrical Installations as part of scope of work during last 7 years ending last day of month previous to the one in which applications are invited, should be either of the following:

Three similar successfully completed works costing not less than the amount equal to 40% of the estimated cost put to tender.

OR

Two similar successfully completed works costing not less than the amount equal to 60% of the estimated cost put to tender

OR

One similar successfully completed works costing not less than the amount equal to 80% of the estimated cost put to tender

(NOTE: Similar work means "Operation & Maintenance of Electrical Installations")

### IMPORTANT INSTRUCTIONS TO BIDDERS DOWNLOADING THE TENDER DOCUMENT FROM WEBSITE

The bidders, who have downloaded the tenders from the website, shall read the following important instructions carefully before quoting the rates and submitting the tender documents.

1. The tenderer should see carefully and ensure that the tender document containing all the pages as per the index has been downloaded for making required entries. The balance pages of Standard BSNLEW8 form will be attached with the agreement after the award of work.
2. A clear print out of tender document shall be taken on good quality A4 size paper and the printer settings, etc., shall be such that the document is printed as appearing in the web and without any change in format, number of pages, etc., and shall also ensure that no page is missing. Only original computer printout of the document shall be used. Photocopy shall not be accepted.
3. In case of any doubt in the downloaded tender, the same shall be got clarified from the Engineer in charge calling the NIT before submission.
4. The name of the bidder shall be filled on the relevant pages of tender document and all the pages shall be invariably signed. (With stamp)
5. The tenderer shall ensure that the downloaded tender document is properly stitched before submitting the document.
6. There shall be no correction/addition /alteration/omission made in the text of the downloaded tender document. If found otherwise, the same shall be treated as non-responsive and rejected.
7. The tenderer shall sign the declaration enclosed before submitting the tender.
8. The tenderer shall submit the tenders in 2 covers marked as No.1 and No.2. The tenderer shall submit the credentials for meeting the eligibility conditions along with the cost of the tender fee and EMD in the prescribed format as detailed in NIT, along with a covering letter on his printed letter head stating the details of enclosures in the **first cover**. The credentials shall be self-attested. The **second cover** shall contain the price bid. The rates and amounts should be filled in the schedule of work attached thereto.
9. The **cover-1** shall contain the following.
  - a. Tender Fee in the prescribed format
  - b. EMD in the prescribed format
  - c. Certificate of Financial Turnover from Chartered Accountant
  - d. Documents fulfilling Eligibility criteria (Please note that in case the bidder is authorised by the manufacturer, the original authorization letter is to be scanned and uploaded)
  - e. Enlistment certificate issued by BSNL if applicable
  - f. Electrical license issued by TN Govt
  - g. GST Registration Number details
  - h. PAN Card
  - i. EPF and ESI Registration certificate if applicable
  - j. Certificate of work experience issued by client department (Form 'C') if applicable

### **Not submitting the above documents in Cover-1, the Cover-2 will not be opened**

2. The **Cover-1 and 2** shall be deposited in the tender box available in the office of tender opening authority, by all the bidders before **3:00 PM** on **08.10.2024** the tender opening date, failing which the tenders shall not be opened.

Electrical Division: **ED-III, Chennai**

Sub Division: CANI

Item rate tenders on single bid system are invited on behalf of CMD, BSNL for the work of **Pdg. Comprehensive Maintenance of Electro Mechanical Services in Staff Quarters at Perungudi & RK Nagar, Chennai. (For October 24 to March 25)** from the eligible bidders as per NIT notification. The enlistment of the bidders should be valid on the opening date of tender. In case the date of opening of tender is extended, the enlistment of bidder should be valid on the original date of opening of tender.

1. Tenders which should always be placed in sealed covers with the name of the work written on the envelope will be received and opened by the tender opening authority as per the date and time mentioned in **INFORMATION AND INSTRUCTIONS FOR BIDDERS. Unsealed tenders will be summarily rejected**.
2. Intending bidder is eligible to submit the bid provided that he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority as per the eligibility conditions mentioned in the NIT notification page.
3. The work is estimated to cost **Rs.152251/-**. This estimate, however, is given merely as a rough guide.
4. Agreement shall be drawn with the successful bidder on prescribed form as amended up to the date of opening of tender. Bidder shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
5. The time allowed for carrying out the work will be **Six Months** from the 10<sup>th</sup> day after the date of written order to commence the work.
6. The site for the work is available / or the site for the works shall be made available in parts. The successful bidder shall execute the work in coordination with other agencies working in the campus.
7. The bid documents consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website **Chennai.bsnl.co.in** at free of cost. The BSNLEW-8 document can be seen from the web site **Chennai.bsnl.co.in** at free of cost.
8. The Tender Fee in the form of Demand Draft issued by the Nationalized / Scheduled bank authorized by the Reserve Bank of India, drawn in favour of **BSNL, Chennai Telephones** payable at **Chennai**. The validity of the tender cost in the form of DD shall be **60 days** from the date of opening.
9. The Earnest money deposit (EMD) in the form of Demand Draft/FDR/BG (BG is only for Air Conditioning, Diesel Engine Alternator, Lifts, and Sub Station works wherever the amount of EMD is more than Rs.20,000)/ CDR of a nationalized / scheduled bank authorized by the Reserve Bank of India, drawn in favour of **BSNL, Chennai Telephones** payable at **Chennai**. The validity of the EMD in the form of DD shall be 60 days from the date of opening. If the EMD is in the form of CDR/FDR/BG, the validity shall be 180 days from the date of opening. In case of L1 bidder, the validity of CDR/FDR/BG is to be extended up to the observation period as that of the Performance guarantee/Security deposit. Exemption from payment of Tender Fee,

10. The last date for submission of bid is **08.10.2024 up to 3:00 PM** and the bids submitted shall be opened at 03:30 PM on the day. If a holiday is declared on the tender opening day, the tender will be opened on the next working day.

**11. Performance Guarantee:** The bidder is required to furnish Performance guarantee for an amount equal to 5% of the contract value in the form of bank guarantee/CDR/FDR/DD (of a Nationalized/Scheduled Bank in a standard format) within two weeks from the date of issue of acceptance letter. This period can be further extended by the Engineer-in-charge up to a maximum period of two weeks on written request of Bidder. The validity period of the performance security in the form of performance bank guarantee shall be: Three Months from the date of actual completion of work, for AMC works; and One year from the date of actual completion of work for all other works. **In case the bidder fails to deposit the said performance guarantee within the stipulated period, including the extended period if any, the Earnest Money deposited by the bidder shall be forfeited automatically without any notice to the bidder and the bidder will not be allowed to participate in the re tendering for the same work.**

**12. Security Deposit:** In addition to Performance guarantee stated above, a sum @ 10% of the gross amount of the bill shall be deducted from each running bill of the contractor till the sum be deducted with the sum already deposited as earnest money, will amount to security deposit of 5% of the contract value of the work. **These security deposit shall be released after an observation period as follows: Three Months from the date of actual completion of work, for AMC works; and One year from the date of actual completion of work for all other works.**

13. If it is found at any stage of tender scrutiny after submission of tender that the bidder has made any correction/addition/alteration/omission in tender documents vis-à-vis tender documents available on the website/original Draft NIT in office, the bid shall be treated as non-responsive and shall be summarily rejected and the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further, the bidder shall not be allowed to participate in the re tendering process of the work.

14. The Tender documents shall not be sent through the Courier/Post. Tender documents received through Courier/post shall not be opened/considered at all. All communication with the bidders shall be in writing. Fax/E-mail shall be covered under this category and considered as an adequate means of communication.

15. Intending bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders, the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specification of the work to be done and of conditions and rates at which stores,

tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work.

16. The competent authority on behalf of the CMD does not bind himself to accept the lowest or any other tender and reserve to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected. The competent authority on behalf of CMD reserves to himself the right of accepting the whole or any part of the tender and the bidder shall be bound to perform the same at the rate quoted.
17. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the bidders who resort to canvassing will be liable to rejection.
18. Agreement shall be drawn with the successful bidder on prescribed form. Bidder shall quote his rates as per various terms and conditions of the said form, which will form part of the agreement.
19. The bidders should give a certificate as per the following that none of his/her relative is employed in BSNL units as per **Form 'D'**. In case of proprietorship firm, certificate will be given by the proprietor and for partnership firm certificate will be given by all the Directors of the company.
  - a. Near relatives of all BSNL employees either directly recruited or on deputation are prohibited from participation in tenders and execution of works in the different units of BSNL. The near relatives for this purpose are defined as:
    - i. Members of a Hindu Undivided family.
    - ii. They are husband and wife.
    - iii. The one is related to the other in the manner as father, mother, son(s) & son's wife (daughter-in-law), Daughter(s) & daughter's husband (son-in-law), brother(s) & brother's wife, sister(s) & sister's husband (brother-in-law).
  - b. The company or firm or any other person is not permitted to tender for works in BSNL unit in which his near relative(s) is/are posted. The unit is defined as SSA/Circle/Chief Engineer/Chief Archt./Corporate office for non-executive employees and all SSA in a circle including circle office/Chief Eng./Chief Archt./Corporate office for executive employees (including those called as Gazetted officers at present). The bidder should give a certificate that none of his/her such near relative is working in the units as defined above where he is going to apply for tender/work, for proprietorship, partnership firms and limited company certificate shall be given by the authorized signatory of the firm. Any breach of these conditions by the company or firm or any other person, the tender/work will be cancelled and earnest money/performance guarantee will be forfeited at any stage whenever it is so noticed. BSNL will not pay any damages to the company or firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned unit.
  - c. No employee in BSNL/ Govt. of India is allowed to work as a contractor for a period of two years of his retirement from service without the prior permission. The contract is liable to be cancelled if either the bidder or any of his employees is found at any time to be such a person who

had not obtained the permission as aforesaid before submission of tender and engagement in the bidders service.

20. The tender for the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders. If any bidder withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
21. The bidder has to comply with the provisions of EPF and miscellaneous provisions Act-1952 and employees provident fund scheme-1952 as amended up to date in respect of labours/employees engaged by them for this work. Any consequence arising due to non-complying of provisions as specified above shall be the sole responsibility of the firm only. The agency shall give an undertaking to this effect as per **Form 'B'**.
22. **Extension of Validity of tender:** In case, where the letter of award of work cannot be placed within the validity period of the tender, the BSNL can request the bidder to extend the validity of their respective tenders and the Earnest Money deposit by a reasonable period. In such cases, extension of validity of Earnest Money deposit by 30 days beyond the extended validity date of tender should also be asked for. While BSNL can make the request for extension, the tenderer is free to either extend the validity or refuse the request to extend the validity.
23. Rates quoted by the contractor shall be firm and shall be valid for the currency of contract. No cost escalations shall be permitted during the currency of contract.
24. This notice inviting tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:-
  - a. The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender, subsequent amendments issued and the rates quoted at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
  - b. Standard BSN LEW-8 form



### **c. General Instruction to the Bidders**

1. The intending bidder must read the terms and conditions of BSNL-EW 6 carefully. He should only submit his bid, if he considers himself eligible and he is in possession of all the documents required.
2. Information and instructions for bidders posted on website shall form part of bid document.
3. Applicants are advised to keep visiting the above mentioned website from time to time (till the deadline for bid submission) for any updates in respect of the tender documents, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the applications complete in all respect including updates thereof, if any. An incomplete application may be liable for rejection.
4. Even though any bidder may satisfy the above requirements, he would be liable to disqualification if he has:
  - a. Made misleading or false representation or deliberately suppressed the information in the forms, statements and enclosures required in the eligibility criteria document.
  - b. Record of poor performance such as abandoning work, not properly completing the contract, or financial failures/ weaknesses etc.
5. If any information furnished by the bidder is found incorrect at a later stage, he shall be liable to be debarred from tendering/taking up of works in BSNL. The BSNL reserves the right to verify the particulars furnished by the applicant independently.
6. GST and any other tax applicable in respect of this contract shall be borne by the bidder himself. The bidder shall quote his rates considering all such taxes. The TDS as per the Govt. regulations will be recovered from the contractor.
7. **Tender Evaluation:**
  - (a) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices offered inclusive of packing, forwarding, freight and insurance charges etc., but excluding GST. The bid with lowest net cost as elaborated above will be the L1 bidder.
  - (b) Vendor should furnish the correct GST Rate in the price schedule. If the Input Tax Credit is found to be not admissible at any stage subsequently owing to wrong furnishing of GST Rate, then the vendors will be liable to refund such non-admissible amount, if already paid, along with penalty if charged by the concerned authority.
8. However, pursuant to the constitution (Forty-sixth amendment) act, 1982, if any further tax or levy is imposed by statute, after the last date of receipt of tenders, and the contractor there upon necessarily and properly pays such taxes/ levies, the contractor shall be reimbursed the amount so paid, provided such payment, if any, is not in the opinion of Superintending engineer (whose decision shall be final and binding) be attributable to delay in execution of work within the control of contractor.
9. The Contractor shall, within a period of 30 days of imposition of any further tax or levy in pursuant to the constitution of (Forty sixth amendment) act 1982 give a written notice thereof to the Engineer-in-charge that the same is given pursuant to this condition, together with all necessary information relating thereto.

**10. ByelawsIndemnityagainstliabilities:**

- a. The bidder shall comply with all bylaws and regulations of the local and statutory authorities having jurisdiction over the works and shall be responsible for payment of all fees and other charges and giving and receiving all necessary notices and keep the Engineer-in-charge informed about the notices issued and received.
- b. The bidder shall indemnify the department against all claims in respect of patent rights design, trademark or name of other protected rights in respect of any plant, machine, work or materials used for or in connection with the works or temporary works and from and against all claims demands, proceedings, costs, charges and expenses whatsoever in respect of or in relation thereto.
- c. The bidder shall defend all actions arising from such claims and shall himself pay all royalties, License fees, damages, costs and charges of all and every sort that may be legally incurred in respect hereof shall be borne by the bidder.
- d. All liabilities / penal recoveries on matters arising out of tax / levies such as incorrect deductions, discrepancies in the filing of returns, revised assessments by the concerned authorities etc., shall be borne by the bidder.

**11. Termination of contract on death of contractor:**

Without prejudice of any of the rights or remedies under this contract, if the contractor dies, the Engineer in charge on behalf of the BSNL shall have the option of terminating the contract without compensation to the contractor.

**12. Indulging of contractor in criminal /antisocial activities and cases under investigation/ chargesheeted by CBI or any other government agency etc.**

: If the CBI/Independent External Monitor (IEM) /Income tax/ Sales Tax /GST/ Central Excise/Custom Departments recommend such a course - Action will be taken as per the directions of CBI or concerned department.

- 13. As a general notion, the terms and conditions/instructions contained in various pages of this document are addressed assuming the bidder as 'Male'. However, the same shall remain and assumed to be addressed in case of 'Female' bidder also, except for the gender centric words, which shall be 'female' centric at appropriate places.

**FORM 'A'**

**Undertaking to abide by EW6 & EW8**

"I.....Son/Daughter of.....  
.....Resident of.....  
.....hereby give an undertaking that I have read the complete bid document and I am aware of all the clauses and sub clauses of BSNL EW 6 & 8 forms and I confirm that I will abide by all the terms and conditions available in BSNL EW6 & 8 forms.

(Seal of the firm)

(Signature of Bidder)

**Undertaking regarding EPF provisions**

"I.....Son/Daughter of.....  
 .....Resident of.....  
 hereby give an undertaking that

\* I/We have employed only ----- persons in our establishment and hence the EPF and Miscellaneous provisions Act, 1952 is not applicable to my/our establishment.

\* I/ We have registered as per the EPF and Miscellaneous provisions Act, 1952 and our registration no.\*\* is ----- . We undertake to keep it valid during the currency of contract.

In case at any stage, it is found that the information given by me is false / incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me".

\* strikeout whichever is not applicable

\*\* Attach a self-attested photocopy of the above said EPF registration certificate.

(Seal of the firm)

(Signature of Bidder)

**Undertaking regarding ESI provisions**

"I.....Son of.....  
 .....Resident of..... hereby  
 give an undertaking that

\* I/We have employed only ----- persons in our establishment and hence the ESI and Miscellaneous provisions Act, 1948 is not applicable to my/our establishment.

\* I/ We have registered as per the ESI and Miscellaneous provisions Act, 1948 and our registration no.\*\* is ----- . We undertake to keep it valid during the currency of contract.

In case at any stage, it is found that the information given by me is false / incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me".

\* strikeout whichever is not applicable

\*\* Attach a self-attested photocopy of the above said ESI registration certificate.

(Seal of the firm)

(Signature of Bidder)

**Performance report of works**

1. Name of Agency
2. Name of work
3. Agreement no.
4. Final Value of Work Done
5. Date of start of work
6. Actual date of completion
7. Performance: Satisfactory/Not Satisfactory

Dated:

Executive Engineer or Equivalent

**FORM 'D'****No Near relative working certificate**

I..... Son / Daughter of Shri ..... Resident of..... hereby certify that none of my relative(s) as defined in the tender document is/are employed in BSNL units as per details given in tender document. In case at any stage, it is found that the information given by me is false/incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me.

(Seal of the firm)

(Signature of Bidder)

**Annexure I**  
**MODEL FORM OF BANK GUARANTEE FOR EMD**  
**(For submitting EMD for Air Conditioning, Diesel Engine Alternator, Lifts, and**  
**Sub Station Works wherever the amount of EMD is more than Rs.20,000/-)**

Whereas \_\_\_\_\_ (hereinafter called "the bidder(s)")  
has submitted its Tender dated \_\_\_\_\_ for the work \_\_\_\_\_  
\_\_\_\_\_ KNOW  
ALL MEN by these presents that WE \_\_\_\_\_ OF  
having our registered office at \_\_\_\_\_ (hereinafter called  
"the Bank") are bound unto \_\_\_\_\_  
\_\_\_\_\_ (hereinafter called "the BSNL") in the sum of  
\_\_\_\_\_ for which payment will and truly to be made of the said BSNL,  
the Bank binds itself, its successors and assigns by these presents.

THE CONDITIONS of the obligation are:

1. If the Bidder(s) withdraws its Tender during the period of Tender validity specified on the Tender Form; or
2. If the Bidder(s) having been notified of the acceptance of its Tender by the BSNL during the period of Tender validity.
  - (a) Fails or refuses to execute the Contract.
  - (b) Fails or refuses to furnish security Deposit in accordance with the conditions of Tender document.

We undertake to pay to the BSNL up to the above amount upon receipt of its first written demand, without the BSNL having to substantiate its demand, provided that in its demand, the BSNL will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force as specified in the Tender Document up to and including Thirty (30) days after the period of the Tender validity and any demand in respect thereof should reach the Bank not later than the specified date/dates.

**Signature of the Bank**

**Signature of the**  
**Witness Name of Witness**

**Address of Witness:**

## ANNEXURE II

### PERFORMANCE SECURITY GUARANTEE BOND

In consideration of the CMD, BSNL (hereinafter called 'BSNL') having agreed to exempt (hereinafter called 'the said bidder(s)') from the demand under the terms and conditions of an agreement/Advance Purchase Order No. \_\_\_\_\_ dated \_\_\_\_\_ made between \_\_\_\_\_ and \_\_\_\_\_ for the supply of \_\_\_\_\_ (hereinafter called "the said agreement"), of security deposit for the due fulfilment by the said bidder (s) of the terms and conditions contained in the said Agreement, on production of the bank guarantee for \_\_\_\_\_ we, (name of the bank) \_\_\_\_\_ (hereinafter referred to as "the bank") at the request of (bidder(s)) do hereby undertake to pay to the BSNL an amount not exceeding \_\_\_\_\_ against any loss or damage caused to or suffered or would be caused to or suffered by BSNL by reason of any breach by the said Bidder(s) of any of the terms or conditions contained in the said Agreement.

2. We (name of the bank) \_\_\_\_\_ do hereby undertake to pay the amounts due and payable under this guarantee without any demur, merely on a demand from the BSNL by reason of breach by the said bidder(s) of any of the terms or conditions contained in the said Agreement or by reason of the bidder(s)' failure to perform the said Agreement. Any such demand made on the bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee where the decision of BSNL in these counts shall be final and binding on the bank. However, our liability under this guarantee shall be restricted to an amount not exceeding \_\_\_\_\_.

3. We undertake to pay to the BSNL any money so demanded notwithstanding any dispute or disputes raised by the bidder(s)/supplier(s) in any suit or proceeding pending before any court or tribunal relating thereto our liability under this present being absolute and unequivocal. The payment so made by us under this bond shall be valid discharge of our liability for payment there under and the bidder(s)/supplier(s) shall have no claim against us for making such payment.

4. We (name of the bank) \_\_\_\_\_ further agree that the guarantee herein contained shall remain in full force and effect during the period that would be taken for the performance of the said agreement and that it shall continue to be enforceable till all the dues of the BSNL under or by virtue of the said Agreement have been fully paid and its claims satisfied or discharged or till \_\_\_\_\_ (office/BSNL) BSNL certifies that the terms and conditions of the said Agreement have been fully or properly carried out by the said bidder(s) and accordingly discharges this guarantee. Unless a demand or claim under this guarantee is made on us in writing on or before the expiry of TWO/TWO AND HALF/THREE YEARS (as specified in P.O) from the date hereof, we shall be discharged from all liabilities under this guarantee thereafter.

5. We (name of the bank) \_\_\_\_\_ further agree with the BSNL that the BSNL shall have the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of the terms and conditions of the said Agreement or to extend time of performance by the said bidder(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the BSNL against the said Bidder(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said Bidder(s) or for any forbearance, act or

omission on the part of the BSNL or any indulgence by the BSNL to the said Bidder(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the Bidder(s) /supplier(s).

7. We (name of the bank)

\_\_\_\_\_ lastly undertaken not to revoke this guarantee during its currency except with the previous consent of the BSNL in writing.

Dated the \_\_\_\_\_ day of \_\_\_\_\_

for \_\_\_\_\_ (indicate the name of bank)

Name of work: **Pdg. Comprehensive Maintenance of Electro Mechanical Services in Staff Quarters at Perungudi & RK Nagar, Chennai. (For October 24 to March 25)**

Sl.no	Description of Items	Qty	Unit	Rate	Total Amount excluding GST	CGST		SGST		Total Amount including GST
						% Rate	Rate per unit	% Rate	Rate per unit	
1	2	3	4	5	6=3x5	7	8=6x7	9	10 =6x9	11=(6+8+10)
I	<b>SH-I Operation of Services</b>									
1	Operation of Electromechanical services and carrying out scheduled activities in the following premises of BSNL, by deploying requisite manpower as per specifications of BSNL premises as follows by deploying manpower at the timings specified by the Engg-in-charge on all working days, including all holidays, sundays etc as reqd. The schedule of maintenance of Electro-mechanical services to be carried out as per the specification as reqd. <b>(A) 15nos Type-II, 15 nos Type-III in PERUNGUDI SQ</b> <b>(B) 8nos Type-III, 2 nos Type-IV in RK Nagar SQ</b>									
	Note 1: The work involves : Maintaining complaint register as indicated in specification 2) Operation of pumps and filling of water in overhead tanks, operation of valves to avoid wastage of water, compound lighting etc as required. 3) Attending repair/ faults in existing EMS equipments (materials shall be measured from items no-III as specified below.									
	Co-ordination with TNEB for restoration of power / Payment of Electricity charges for common services / Complaint booking on EB services and all liaison related to TANGEDCO, Metro water, collection of demand bill & paying the same after collecting cheque from BSNL etc as required. 4) The agency shall respond to any breakdown/emergency calls from the Allottees/JTO(E)/SDE(E) within a reasonable time (as decided by the Engineer-in-Charge depending upon the degree of emergency) to analyse faults, failing which, department reserves right to meet the emergency situation at the risk and cost of the agency. 5) One Semi-skilled labour per day (shifts timings and location of positioning of labour									

Contractor

Page 16 of 46

Executive Engineer



	at the discretion of the Engg-in-charge) 6) Any fault occurred due to negligence of agency it the responsibility of agency to repair the same without any cost.									
a	/All the above consists of //	6 Months	Month							
b	Comprehensive annual maintenance of the following pump set and starter, cables and all accessories up to delivery valve complete with routine maintenance, breakdown maintenance, rewinding, replacement of faulty spares/worn out parts and replacement of starter spares i/c Removing and refixing, transportation of motor/pump/starter for rewinding/servicing etc complete as reqd.	6 Months	Month							
c	3 HP Monobloc pump set	6 Months	Month							
d	1HP submersible pump set	6 Months	Month							
e	1.5 HP submersible pump set	6 Months	Month							
	Supplying and fixing the following materials/spares i/c removing the faulty item i/c connection testing and commissioning etc as reqd									
1	S/F of 36 W FI.Tubes	10 Nos	each							
a	S/F Electronic Ballast suitable for 36/40W FI Tube	10 Nos	each							
b	S/F Starter for FI.Fitting	10 Nos	each							
c	S/F Side holder for FI.fitting	10 Nos	each							
d	S/F 2.5 mfd Capacitor for ceiling fan(Make:-KIEL Make)	10 Nos	each							
e	Step type electronic fan regulator	5 Nos	each							
f	S/F call bell	5 Nos	each							
g	S/F 5 A Piano Switch	5 Nos	each							
h	S/F 5 A Socket	5 Nos	each							

i	S/F 15 A Piano switch	5 Nos	each							
j	S/F 15 A Socket	5 Nos	each							
k	S/F 6A push bell switch	5 Nos	each							
l	S/F 6 to 32A SP MCB (B series)	5 Nos	each							
TotalexclGST						TotalinclGST				

Contractor

ExecutiveEngineer(E)

**IMPORTANTNOTE:**

1. The firmshallberesponsibletoensurethat GSTshownintheabovecolumnsiscorrect&InputTax CreditfortheamountshownaboveisadmissibleasperGS
2. Invoice/Billshouldbepre-printedaspertheGSTformat.
3. Theevaluationandcomparisonofresponsivebidsshallbedoneonthebasisof**NetcosttoBSNL**onthepricesofferedinclusiveofpacking,forwarding,freightand insurancechargesetc.,**but excludingGST**
4. Theratesforallitemsofworkshall,unlessclearlyspecifiedotherwise,includecostofalllabour,materialsandotherinputsinvolvedintheexecutionofthetermsasspecified inthe scope ofwork.
5. Noadvancepaymentscanbemade.Stipulationslikelevyofinterestifpaymentisnotmadeinaspecifiedtimearealsonotacceptableandthepaymentisgovernedbythenormal BSNLpractice.
6. Operationdutyinvolvesoperationofpumpsets,CompoundLighting,EI&fansetc,onregularbasis.

As the operation duties involve mainly operation of pumps, switching ON/OFF compound lighting, checking of water supply in tanks in the building etc between 6.00hrs to 10.00hrs and 18.00hrs to 22.00hrs, Rest of the time, they shall carry out breakdown/preventive maintenance, Co-ordination with TNEB for restoration of power / Payment of Electricity charges for common services and vacant Quarters/ Complaint booking on EB services and all liaison related to TANGEDCO, Metro water, collection of demand bill & paying the same after collecting cheque from BSNL etc as required. The agency shall respond to any breakdown/emergency calls from the Allottees/JTO(E)/SDE(E) within a reasonable time (as decided by the Engineer-in-Charge depending upon the degree of emergency) to analyse faults, failing which, department reserves right to meet the emergency situation at the risk and cost of the agency.

**Contractor**

**Executive Engineer(E)**

## **TECHNICAL SPECIFICATIONS**

### **Part I: Scope of Operation & Maintenance of EMS in Staff Quarters Compound:**

- i. Deploying required personnel at site of work
- ii. Ensuring that the EI installation is always kept in clean, healthy working condition.
- iii. Attending day-to-day routine complaints in a prompt and satisfactory manner.
- iv. Operation of Motor pump set, filling the overhead tanks, coordinating water supply from external agency in case of acute shortage.
- v. Operation of compound lights.
- vi. Ensuring that no breakdown in power supply takes place and in case it happens to take all required steps including contacting supply co. for earliest restoration.
- vii. Attending to faults in the pump set i/c replacement of parts, winding etc promptly.
- viii. Ensuring that there is no wastage of electrical energy. Details of steps to be taken in this regard to work out in consultation with the maintenance Incharge.
- ix. Carrying out minor additions and alterations ordered by Engineer in charge. (Materials required shall be supplied by the department)
- x. Carrying out various maintenance routines and tests as stated in Annexure-VII and elsewhere in the specifications and as per site requirement.
- xi. Submission of periodical reports.**
- xii. Maintaining Registers/documents for complaints and test results.
- xiii. In case of staff quarters, scope of maintenance is limited to the wiring and accessories as per the standard yard stick of the department and shall not cover the additions / alterations carried out by the occupants.
- xiv. Coordinate with Electrical wing in remittance of EB bill for common service & bill for metro water supply, including collection of cheques from Electrical Divisions, payment, return of payment receipts, maintaining relevant record etc.
- xv. Coordination with EB authorities/assessor/EB office for recording of EB charges i/c handling of EB cards etc.
- xvi. Making inventory of items handing over/taking over while allotment/vacation of staff quarters/community hall.
- xvii. Submission of periodical reports.

### **Part II Tasks To be Performed within first 15 days.**

Following items should be carried out within first 15 days.

- i. Establish complaint recording system with the approval of Engineer-in-Charge so that complaints can be received and attended properly.
- ii. Measurement of the resistance of Earth Station of EI System and checking of the continuity of earth conductor. Results to be recorded.

- iii. Preparing an inventory of materials to be kept at site for prompt maintenance in consultation with Engineer-in-Charge. Materials for all the services to be considered for preparation of inventory.
- iv. Inspection of Main board & SDBs for (a) any loose/improper connection (No strand cutting for making connection to be allowed), (b) improper rating of switches/fuse/(c) Cleanliness.
- v. General inspection of EI system to identify shortcoming. Also any other relevant aspect, which may come in the way of proper maintenance, should be recorded in Register and also brought to the notice of Engineer-in-charge.
- vi. Check of pump set for proper functioning, efficiency and any worn-out parts
- vii. Check of compound lighting for proper functioning.

### **Part III DETAILED ACTIVITIES**

- 1) At the start of work, firm shall prepare an inventory of service under maintenance jointly with J.T.O (E)/SDE(E), concerned.
- 2) Before start of the work complete equipments/services under scope of comprehensive maintenance shall be thoroughly examined by the agency jointly with SDE(E)/JTO(E) concerned. All Defects/discrepancies should be brought to the notice of the SDE(E)/JTO(E) in writing within first 15 days of award of work. Defects/discrepancies agreed upon by BSNL shall be got attended by the outgoing agency before handing over the site to the new agency. Where the contract of the outgoing agency, for some items or all items is of comprehensive nature, if the outgoing agency fails to correct the defects/discrepancies within 15 days, the same shall be got done by BSNL at the risk and cost of the outgoing agency.
- 3) However any defect pointed out beyond 15 days for items of comprehensive maintenance nature, the agency taking over the maintenance is responsible for attending to the defects/discrepancies. Where the maintenance is taken over, for the first time, the defects/discrepancies shall be got attended by BSNL.

#### **4) OPERATING & MAINTENANCE PERSONNEL**

- i. The personnel employed for carrying out the work and their skill requirement is as follows:

Services	Type	Skill requirements	No. of personnel	To be based at
Operation/repair/maintenance/service	Semi Skilled	Minimum 10th pass with experience in similar type of works.	One person per day	Site of operation
	Unskilled		One person per day	

- ii. The operating staff has to be available at the specified shift/shift(s) as decided by SDE(E). Since the firm will be doing the maintenance of critical service requirement such as water pumping systems/Electrical mains for staff quarters, operating staff shall be

able to take initial steps under emergency situation such as failure of pump set, fire, shocks etc. In case of faults beyond the capacity of the staff provided as above, contractor shall immediately provide extra-specialized work force so as to attend to the fault in minimum reasonable time without any extra cost.

- iii. In the sites where operation is carried out, the firm shall maintain attendance register which can be inspected at any time by the SDE/JTO. The workman shall not leave the duty point until his reliever has reported for duty. In addition to the attendance register, the firm shall abide by the attendance recording methods in vogue in the site of operation such as finger print scanning etc. The operator deputed to site shall be provided with a mobile phone by the firm, to contact and monitor the work by JTO(E)/SDE(E).
- iv. Agency shall issue identity cards to the workers and a list of personnel employed together with the copies of such identity cards should be submitted to SDE (E) / JTO (E) concerned. Before being posted at site, police should be informed about the personnel and a copy of the intimations shall be submitted to SDE (E).
- v. The workers engaged by firm should maintain proper discipline and good behavior with occupants. The firm shall remove such workers from the site whose behavior is found improper or found to be negligent in doing works, fail to adhere the work instructions of JTO(E)/SDE(E). Engineer – in – Charge's decision shall be final and binding. Failure to remove errant workers from the site within a reasonable time shall amount to treating the presence of such workers as absent and will result in levy of penalty. Presence of unauthorized personnel in the maintenance office is strictly prohibited.
- vi. The workers engaged by the firm should wear uniform of Navy blue color with detachable badge indicating the name of the person and firm's name.
- vii. The sitting arrangement for the staff engaged by the agency, space, water and electricity shall be made available by BSNL free of cost.
- viii. The firm has to supply details as per Annexure- IV of all the workers likely to be engaged by it before start of the work. Provision of Supervisor shall also be made as per standard form of contract (EW 8) which forms the part of this contract.
- ix. The firm and their personnel shall also co-ordinate, operate and feed information on automatic data collection services/automation devices/SMS etc that will be introduced by BSNL at any date during the tenor of contract.
- x. Wherever the staff are required to enter the residential premises for attending faults or for routine maintenance proper permission of the residents shall be taken. Activity shall be carried out only when the occupants are available. Proper acknowledgements shall be taken from the occupants, as and when visited for carrying out activity.

## 5) **COMPLAINT RECORDING AND DISPOSAL MECHANISM**

- i. A Complaint Register as per annexure-V shall be kept up-to-date at site by the firm and the same shall be available for checking & verification. Whenever any complaint is received, it shall be recorded and complaint no. shall be given to the complainee. Disposal of complaints shall be recorded and monthly report as per **Annexure VIII** shall be submitted to the SDE(E) concerned.

- ii. **For disposal of complaints, whenever items are required to be replaced and the same is available in Sl.no. II of schedule , the firm shall make a record of the same and carry out the work. Firm shall ensure that the quantity does not exceed the schedule quantity. In such cases, the firm shall bring the same to the notice of SDE(E)/JTO(E) for sanction of such quantity deviation. If the item is not available in the Sl.no. II of schedule, then the firm shall immediately report the same to the SDE(E)/JTO(E), to give decisions. Wherever SDE(E)/JTO(E) ask to provide the items, measurable as extra/substitute item, the firm shall promptly carry out the work, to dispose off the complaint.**
- iii. Firm shall maintain log books as per annexure-VI.
- i. Faults of general services such as compound lighting and common area lighting, the firm shall record the complaint through the RWA members/ allottees and the acknowledgement to be taken from the complainee.
- ii. Complaints over phone shall also be recorded with details complainee, date of complaint and phone number, and action taken to redress the complaint. Acknowledgement shall be obtained in the register from the complainee.
- iii. Details of person and their contact number, to whom the complaint is to be registered shall be displayed outside the maintenance office. Whenever the phone number changes the changed number shall be promptly displayed.
- iv. In addition to the above, a Complaint mail id shall be furnished by the agency and displayed outside the maintenance office. Whenever a complaint is received by mail, the agency shall furnish a reply mail acknowledging the complaint, within 24 hours with complaint number with a copy to SDE(E)/JTO(E) to the official mail id. Failure to attend/acknowledge complaint through mail, will attract penalty, without prejudice to BSNL for taking any further action.

## **6. MATERIALS AND TOOLS & PLANTS**

### **(A) Material**

- i. The scope of work includes operation of services along with comprehensive maintenance of pump sets as per inventory. In Comprehensive maintenance no material will be supplied by BSNL.
- ii. The minimum inventory of material, as required to redress the complaint within prescribed time shall be available with the firm at site of work. Delay caused due to non availability of materials shall attract penalty.
- iii. The inventory shall be from BSNL approved make, wherever applicable. For items not covered in the approved make list, a list of similar superior make is as in the schedule of items.
- iv. **As regards to item under comprehensive maintenance, replacement of major equipments (such as pump sets) which is required to be replaced as a whole after due scrapping shall be the responsibility of the BSNL. Till such time firm has to maintain the equipments, which are under comprehensive maintenance.**
- v. The replacement of material shall be with the same rating and make as that of the original, wherever applicable. The firm may also replace an item with energy efficient item wherever the same is available on intimation to SDE(E)/JTO(E). However, in case of non-availability of a particular make, Engineer-in-charge will approve the alternate make.
- vi. Dismantled and unserviceable items for which a replacement is supplied, shall be removed from the site under intimation to the JTO(E).
- vii. Supplier Invoice/Bill / Purchase particulars etc shall be produced in case of all major items shall be produced as and when called for, to verify the genuineness of the items being

replaced. Wherever guarantee/warranty is available the same shall be made use of in case of fault within such periods. Obsolete items not available in market can be repaired and reused.

- viii. In case any of the equipment included in the scope of work is under guarantee, AMC of the same shall commence on completion of such guarantee period or as decided by the Engineer in charge.

**(B) TOOLS & PLANTS:**

- a) The firm at its own cost shall provide a lockable toolbox preferably in the pump room within 15 days of taking over of installation.

The toolbox shall contain minimum tools as follows:

- i. Insulated Screw Driver
- ii. Line Tester
- iii. Insulated Cutting Plier
- iv. Torch Light
- v. Test lamp

- b) The above list is general and any other requirements for smooth O&M of installations shall be the contractor's responsibility and he shall not claim anything extra on this account.

- c) The Firm/Contractor will provide the workers with necessary Testing and Safety Equipment.

**7. GENERAL:**

- i. Contractor shall have around the clock communication landline/Mobile telephone number at Chennai. Agency shall furnish official mail id for correspondence.
- ii. Any official communication from BSNL, through mail is deemed to be valid communication.
- iii. If during the period of contract, any of the service/services are added/altered, the comprehensive maintenance of the same shall be done by the firm, the rates will be regularized as per Clause -12 of EW 8. Similarly in case of deletion of any service/service similar recovery shall be made from the bill of the contractor. However operation of these services shall be done without any extra cost, except where the work requires continuous additional shift of workmen to be deployed at site.
- iv. The details in the annexure III are approximate to give an idea of services to be operated/maintained. Any variation on higher or lower side shall be deemed to be included at the initial take over. However the tenderers are advised to inspect the site (s) and make them acquainted before quoting.
- v. The firm shall also coordinate with the JTO (E) / SDE (E) for carrying out data collection for scrapping/energy audit/capacity test in respect of services under maintenance. In addition to the above, the firm shall also coordinate in implementation of energy conservation measures such as collection of savings data, operation of EC equipments, circulation of pamphlet on energy conservation, etc.



- vi. Operation of pump set and compound lights to be done on daily basis, at the regular intervals based on water requirements. Contractor shall continuously monitor availability of source of water and quantum and inform SDE(E)/JTO(E) for any contingent activities.
- vii. Wherever water is procured from metro water/private water supplies as stand alone/supplement basis, agency shall ensure that the water is optimally pumped as per the site requirements. Coordination with the supplier is firm's responsibility. Wherever the supplier of water fails to supply in time, agency in consultation with SDE(E)/JTO(E) shall initiate such action as directed, to ensure water supply to occupants.
- viii. Pumping of water shall be such that, no occupants face undue delay in cycle/ stage by stage filling of the tanks.
- ix. General maintenance activities such as cleaning of pump sets, tightening the terminations in starter boxes etc are to be done on periodical basis along with any other specific maintenance activity as directed by Engineer-in-charge.
- x. Whenever community hall is allotted, the initial and final meter readings of electricity are to be recorded, together with connected works such as pump set for community hall.
- xi. During power failure, agency shall coordinate with TNEB for restoration of power and carry out such activities to facilitate restoration.
- xii. Agency shall be responsible for payment of EB bill for common services and vacant quarters in time. Hence the firm shall collect the EB card, coordinate with SDE(E)/JTO(E) for processing of payment.
- xiii. Agency shall ensure that the fuses and power supply to vacant quarters are cut off promptly to avoid misuse.
- xiv. Agency shall take details of inventory for each of the quarters/community hall whenever vacated/occupied in a prescribed proforma as issued by SDE(E)/JTO(E).
- xv. Any unauthorized use of electricity/tappings shall be promptly brought to the knowledge of SDE(E)/JTO(E).
- xvi. The contractor has to keep all the equipments under operation & maintenance and site neat and clean to avoid any accident and/or fire hazards.
- xvii. Dates of weekly, monthly, biannual/annual tests/maintenance activity, (wherever applicable), shall be displayed/recoded in relevant columns.
- xviii. The Contractor will display on a board in Watchman shed/ pump room/operator room important telephone numbers.
- xix. The contractor shall not sublet the work or part thereof. However, services of specialized agencies for specific work can be obtained.
- xx. The contractor agrees that he shall at all times indemnify BSNL against all claims for compensation under the provisions of any law for the time being in force or in respect of any person employed by it in carrying out the contract. Further, such staff has no right to claim employment in BSNL.
- xxi. The Contractor will provide the workers with necessary T&P, Testing & safety equipments.
- xxii. Contractor has to observe all the labour rules and regulations in force & BSNL shall not be liable for any default.

xxiii. Firm shall ensure energy conservation by avoiding continued burning of Compound lights in day time, running pumpset with water over flow etc., wherever O & M is forming the scope of contract.

#### 8. ROUTINE MAINTENANCE ACTIVITIES:

The agency shall carry out routine maintenance activities of the Electrical Installation, to keep the installation in healthy working condition. Schedule of activities are as follows:

##### **A. MAINTNANCE ACTIVITY IN QUARTERS**

- (i) Agency shall carry out check of electrical installation in the residential quarters at least once in a year. This is besides attending of faults, as and when reported to. The check shall be to ensure that the installation is in proper condition. Agency shall carry out all preventive measures, to avoid/minimise breakdown/faults.
- (ii) Checklist for maintenance activity in residential quarters is as per Annexure-VIIA
- (iii) SDE(E) shall fix up the monthly targets for this activity, which the agency shall adhere to. Wherever the activity is hindered/ could not be carried out, due reasons beyond the control of the agency, the same shall be brought to the knowledge of SDE(E).

##### **B. COMMON SERVICES MAINTENANCE ACTIVITY:**

###### **1. Pumpsets:**

- (i) Maintenance activity in all the pumpsets shall be carried out every month. Items of checks is as per Annexure VII-B. Observations shall be recorded and wherever the pumpsets are in comprehensive maintenance, prompt action shall be taken.
- (ii) Preventive Maintenance in pumpsets shall be to ensure that the pumpsets are working with good efficiency and that any minor faults are attended promptly.

###### **2. Earthing:**

- (i) All earthing shall be checked twice in a year for physical condition, connection and values. Values and date of testing of the earth sets shall be properly sign written.
- (ii) Values shall be recorded in Annexure VII-D, Date of testing and values measured shall be conspicuously displayed near the earth pit on wall with proper sign writing.
- (iii) Agency before take over shall ensure that the earth pits are in proper condition with cover plates and shall maintain the earth sets by painting and proper locking arrangement.
- (iv) Monthly reports shall be generated indicating the no. of earth sets, check completed and pending checks etc as per Annexure VIII B-III

###### **3. Compound Lighting:**

- (i) All compound light arrangements shall be checked once in six months.
- (ii) Checklist is as per Annexure VII-C. Observations shall be properly recorded.
- (iii) Monthly reports shall be generated indicating the no. of lights checked completed and pending checks etc as per Annexure VIII B-II

###### **4. Meterboards and DBs in common area:**

- (i) Inspection of the meterboards and common area DBs shall be done once in a year. It shall be ensured that no loose connections are available. Observations shall be recorded in Annexure VII-A

(ii) Proper sign writings shall be done for easy access during exigencies.

**9. COMMERCIAL.**

- a. The tender must obtain himself on his own expenses, all the information necessary for the purpose of tendering, inspect the site and acquaint himself with all the local conditions, means of access to work and nature of work etc. No claim shall be entertained on this account.
- b. Payment shall be made on regular intervals (3 months or above) after completion of maintenance period and on submission of bill in printed letter head together with requisite certificate and documents as per annexure –IX & X
- c. The rates quoted must be full & final. Nothing extra is payable other than quoted rates. Clause 10-CC shall not be applicable for this account.

**10. DAMAGE TO BSNL INSTALLATION:**

- i. Any damage to the installation(s)/building during the maintenance period due to the carelessness on the part of maintenance staff shall be the responsibility of firm/contractor & shall be replaced/rectified by the firm without any extra cost.
- ii. Any accident or damage during maintenance/operation to the staff of the firm will be the responsibility of the firm/contractor & BSNL will not entertain any claim, compensation, penalty etc. on this account or on account of non observance of any other requirement of law relevant to this work.
- iii. Any damages to the installation due to the reasons beyond the control of the agency shall be brought to the knowledge of SDE(E)/EE(E) within 15 days. Action as deemed fit shall be carried out as per the instructions. Belated claims will not be entertained. Decision of Executive Engineer(E) shall be final and binding.

**11. CURRENCY OF CONTRACT:**

- i. The currency of contract shall be 24 months. The Department reserves the right to terminate the contract by giving show cause notice of one-month duration at any time during the currency of the contract.
- ii. The Department reserves the right to extend the contract which is governed by clause 12.3 of EW 8.

**12. TERMINATION OF CONTRACT:**

- i. Right is reserved by BSNL for terminating the contract due to serious default. This includes major break down or accident or loss due to negligence on the part of firm, failure to attend breakdown, disobedience and abandoning the site etc. In such a case, Full Performance Guarantee shall be forfeited to BSNL. The decision of Superintending Engineer (E) in this regard shall be final and binding.
- ii. Right is reserved by BSNL for closure of the contract at any time by giving one month's notice for reasons not attributed to the Contractor. The decision of Executive Engineer

shall be final and binding on the contractor for closure of contract and for which BSNL shall not entertain any claim.

- iii. Termination of contract on death of contractor: Without prejudice of any of the rights or remedies under this contract, if the contractor dies, the Engineer-in-charge on behalf of the BSNL shall have the option of terminating the contract without compensation to the contractor.

### 13. PENALTY FOR DEFICIENCY IN SERVICE:

SERVICE	SERVICE CONDITIONS	PENALTY FOR DEFICIENCY IN SERVICE
Pump sets	<p>1. Fault to 1st Pump is to be repaired <b>within 7 days</b> of becoming faulty failing which penalty shall be imposed.</p> <p>2. In case fault in <b>Standby pump</b> also occurs during above said period the firm shall be required to act fast and get the repair done <b>within 1 day</b> failing which penalty shall be imposed. However the contractor has to arrange water supply through alternative means such as portable pump set etc. (pump to be arranged by firm without any extra cost) as above</p> <p>3. If <b>submersible pump</b> set is to be removed from the tube well due to any fault, its repair including hiring charges etc. as required is to be arranged by the contractor free of cost and should <b>not take more 7 days</b>, failing which penalty shall be imposed. However the contractor has to arrange water supply through alternative means such as portable pump set etc. (pump to be arranged by firm without any extra cost) as above</p> <p>4. In case water is not available in U/G tank due to lack of water supply from municipal authorities/private contract for more than 4 hours a day, the contractor shall arrange to supply through water tanker (for which the actual charges of water tankers shall be paid to the contractor). Failure to carry out this task will result in penalty.</p>	<p><b>Rs. 250 per day</b></p> <p><b>Rs. 500/- per day</b></p> <p><b>Rs. 500/- per day</b></p> <p><b>Rs. 1000/- per day</b></p>

Note:-

- i. *Once the above penalty is invoked, BSNL free to take action for rectification of the defects/faults at the risk and cost of the contractor. The firm will be ineligible to participate in the risk and cost works. The Penalty shall be continued till rectification of faults at risk and cost or upto a period of 21 days whichever is earlier.*
- ii. In case contractor fails to comply with routine maintenance activities in a particular period, penalty of 25% of one month's bill amount shall be imposed in the bill. Besides BSNL reserves the right to carry out the same at the risk and cost of the contractor.
- iii. In case of a major accident/loss on account of negligence on the part of the contractor, the contract shall be terminated and 10% of the estimated cost shall be recovered. Decision of Executive Engineer (E) shall be final and binding on the contractor.
- iv. Minimum inventory and T&P shall always be maintained and any loss/ worn-out inventory and/or T&P shall be recouped every month failing which penalty @ 1% of the bill amount per month shall be made for the period of lapse till the inventory is fully recouped.
- v. In case of absence of worker from the duty on any day, penalty shall be made @ Rs. 500/- per day per person per shift. (Staff employed of less than the prescribed qualifications/non-obedient workers deployed at site, in spite of written instructions to remove such persons from site, shall be treated as absent). The Decision of the Executive Engineer shall be final & binding.
- vi. If the performance is found to be unsatisfactory (Such as non-recording of data, failure to carry out providing maintenance in time, continuous non-availability of staff at site, etc., noticed by the Officers during their site visits / test checks, penalty upto 25% of one month's bill shall be recovered. This is in addition to the penalty for specific deficiencies as per Clause 9 above.
- vii. Repair etc. of faulty equipment, other than pump set, if not done by the firm, will be got done at the risk & cost of firm, beyond 7 days of continuing failure, without further notice. The decision of EE (E) shall be final in this regard.
- viii. Notwithstanding the compensation clauses described above, BSNL reserves the right to take necessary steps for operation of the services at the risk and cost of the contractor within a day's notice or as decided by the E-in-C, depending upon the graveness of the situation attributed to the contractor. BSNL also reserves the right to carry out scheduled mtce activity, if not done, at the risk & cost.

**14 DOCUMENTS TO BE MAINTAINED AT SITE/MAINTENANCE OFFICE**

The contractor shall maintain following documents,

- a) A complaint register as per format given in Annexure-V

- b) **Reportfile**:-containingallthetestreports,copyenergybills,etc.
- c) **Historyregister**:Thefirmshallrecordallmajorbreakdownmaintenancecarried outbythe firm likerewindingofmotor,replacement
- d) Replacementregisterforitemscoveredunderscheduleofwork.(Tobelinkedto complaintregister)-Proformashallbedecidedby SDE(E).
- e) **Periodicalmaintenanceproformas**..

#### 15. TEST CHECKBYTHEFIELDENGINEERS:

- i. For the purpose of assessing the quality of service rendered by the firm against theabove contract, the EE,SDE& JTO shall carryout inspection & test checks of theservice/workunderthecontractperiodicallyas follows.
  - a. JTO(E) -----Weekly
  - b. SDE(E) ----- Fortnightly
  - c. EE(E) ----- Quarterly
- ii. The above test check is a minimum frequency for inspection & test checks to bedone. EE(E) shall increasethe frequency on case to casebasis depending ontheneedsofBSNL.
- iii. The above period is determined only to ensure continued quality of service. Duringthese test checks they shall record any deficiency in the work. As per theprinciple of sampling. If service during sample test check is not found to besatisfactory,thenpenaltyshallbeimposedonthecontractorasperthepenaltycla useno.13.

#### 16. GuaranteeandDefectLiability

- i. The guarantee for replaced components / equipments shall be valid for twelvemonths after successful commissioning.The contractor shall guarantee that allreplacedcomponents/equipmentsarefreefromanydefectsandalsotheequipments work with satisfactory performance and efficiency not less than theguaranteed values.
- ii. Any part found defective during Guarantee period shall be replaced free of cost bythe contractor.The service of the contractor's personnel, if required during thisperiod shall be madeavailablefreeofcosttothe BSNL.
- iii. In case the contractor fails to depute his representative to attend the fault withinthe time frame stipulated in various clauses or fails to cause remedial measurewithinreasonabletimeasdecidedduringjointinspection,theBSNLmayproceed to do so at the contractor's risk and expenses and without prejudice to any rightoftheBSNLtorecoversuchexpenses.

#### 17. ListofAnnexures

SL NO	DescriptionofAnnexure	Annexure
1	Sizeof servicestobemaintained	III

2	Details to be supplied before starting the work & Details to be displayed at site	IV
3	Complaint Register	V
4	Daily Logbook	VI
5	Maintenance activity proforma	VIIA, B,C,D
6	Monthly reports	VIII
7	Format of Abstract of actual periodical maintenance carried out in the quarter ending _	IX
8	Certificate to be submitted along with each bill	X

#### ANNEXURE III

#### **SIZE OF VARIOUS SERVICES TO BE OPERATED AND MAINTAINED**

El and fans including all light fittings, Fans, , SDB /MCB DBs, switches & sockets, Distribution arrangement, cabling, switch-gears, LT panel, Feeder pillar, Service Connection panel, Earthing etc.

Sl.no.	Description
1	1. Type I Quarters - 48 nos
	2. Type II Quarters - 102 nos
2	3. Type III Quarters - 24 nos
	4. Type III Quarters - 12 nos
	5. Community Centre - 1 No.
	6. Compound lights
	7. Comprehensive Maintenance of Pump sets as per list in schedule

#### **Note:**

The Details given above are approximate to give an idea of services to be operated & maintained. Operation and maintenance of all the allied components and accessories of each system of service mentioned in schedule of work will come under the scope of work. Agency should visit the site before quoting to have overall idea of scope of work.

#### ANNEXURE-IV

#### **DETAILS TO BE SUPPLIED BEFORE STARTING THE WORK WITHIN 15 DAYS**

A. The following information to be pasted/displayed at conspicuous location as decided by SDE(E)/JTO(E) at site.

1	NAME OF THE AGENCY		
2	ADDRESS OF THE AGENCY		

3	RESPONSIBLE PERSON TO CONTACT		
4	A) TELEPHONE NO.(S)		
	B) MAIL ID		
5	NAME OF THE JTO(E) IN CHARGE AND HIS CONTACT NUMBER SDE(E) CONTACT NUMBER		
6	IN CASE OF EMERGENCY PLEASE CALL		
7	IN CASE OF NO RESPONSE CALL JTO(E)		

**B. Detail of the Staff**

**to be posted at site: (To be furnished to JTO(E) along with qualification/experience credentials)**

	Name & Address	Qualification	Responsibility
1.			
2.			
3.			
4.			
5.			
6.			
7.			

**ANNEXURE V**

**COMPLAINT REGISTER**

Complaint Number	Date & Time of complaint	Complaint Lodged by (preferably with contact number)	Nature of complaint	Action taken	Date & Time of redressal of complaint	Dated Signature of the firm's representative	Acknowledgement of rectification by complainant	Remarks

COMPLAINT SUMMARY					
DATE	NO. OF COMPLAINTS AS ON DATE	ATTENDED TODAY	NO. OF COMPLAINTS CARRIED OVER	SL. NO. OF CARRIED OVER COMPLAINTS AS PER COMPLAINT	REASONS FOR CARRY OVER



				REGISTER	

**Annexure VI**

**DAILY LOGBOOK**

Name of the operator	Time In	Time Out

PUMP OPERATION		
TYPE OF PUMP & PUMP SL. NO.	TIME STARTED	TIME STOPPED

COMPOUND LIGHTS				
DATE	TIME SWITCHED ON	TIME SWITCHED OFF	FAULTY COMPOUND LIGHTS, IF ANY	REASONS FOR THE FAULT

**MAINTENANCE ACTIVITY PROFORMA ----- ANNEXURE VII**

**MAINTENANCE ACTIVITY IN QUARTERS ANNEXURE VII-A**

DATE			
BLOCK			
QUARTER NO			
TYPE OF QUARTER			
<b><u>A. Switchboards</u></b>			
i. No. of Switchboards			
ii. Cleaning of Switchboards			
iii. Check of Wire termination, earth connection, fixing screws, switches and sockets			
<b><u>B. Ceiling Fan</u></b>			
i. No. of Fans			
ii. No. of fans working			
iii. Check for abnormal Noise			
iv. Check for Functioning of Fan regulator			
v. Cleaning of fan			
vi. Check of Wiring terminations			
<b><u>C. Light fittings</u></b>			
i. No. of fittings			
ii. No. of fittings working			
iii. Cleaning of fittings			
iv. Check of proper Fixing arrangement			
v. Check of Wiring terminations			
vi. Check for Working of accessories like choke, starters			
<b><u>D. Meterboards/DBs/SDBs</u></b>			
i. Cleaning			
ii. Check of Wiring terminations			
v. Check for Signwriting			

Sign.Of  
Contractor

Name&Sign.of      Occupant  
Contactnumber.....

JTO(E)/SDE(E)

**MAINTENANCEACTIVITYINPUMPSET**    **ANNEXUREVII-B**

Date:

<b><u>PUMPS</u></b>	1	2	3
i.Location(Nearwhichblock)			
ii.Typeof pump			
iv.CheckforAbnormalVibration/soundifany			
v.CheckofPumpfoundation			
vi.Checkof Motor&Pumpassembly			
vii. Check for Functioning of Valves, pipeline andaccessories			
viii.checkofPrimingarrangement			
ix.CheckofStarters,Cableconnection&termination			
x.CheckforEarthingtermination			
xii.Lightinginpumproom			
xiii.Generalcleanlinessofpumproom			
xiv.CheckofWateravailability			

JTO(E)/SDE(E)

CONTRACTOR

**MAINTENANCEACTIVITYINCOMPOUNDLIGHTING**    **ANNEXUREVII-C**

Date:

<b><u>B.CompoundLighting</u></b>	1	2	3
i. Location(nearwhicblock)			
ii. Typeof fitting			
iii. CompleteCleaningoffitting			
iv. CheckofWiring,Earthing& Switches			
v. CheckforPainting			

JTO(E)/SDE(E)

CONTRACTOR

**MAINTENANCEACTIVITYINEARTHING**    **ANNEXUREVII-D**

Date:

<b><u>C.Earthing</u></b>	1	2	3
i. Location(nearwhichblock)			
ii. Pittraceable ornot			
iii. CheckforAnyDamage to pit			
iv. Checkoffunnel/screw/coverplate,etc.			

v. Measured Earth value in ohms.			
vi. Check of Sign writing of earth pit no., Earth value with Month & Year of last measurement recorded.			

JTO(E)/SDE(E)

CONTRACTOR

### MONTHLY REPORTS ANNEXURE VIII

#### A. MAINTENANCE ACTIVITY IN STAFF QUARTERS

Months	Total no. of Quarters	Monthly targets	No. of qrts in which Mtce. activities completed till last month	No of qrts in which mtce activity carried out this month	Balance Quarters	back log if any	Remarks

JTO(E)/SDE(E) remark on backlog and signature

Contractor

#### B. OTHER SERVICES

##### PUMPS

Sl.No	Month	Total No of pump set	No. of pump set in which maintenance activity carried out in month	No of pump set left out for maintenance	Reasons	Action planned	Remarks

JTO(E)/SDE(E) remark on backlog and signature

Contractor

##### COMPOUND LIGHTING

Month	Total No of Compound	Monthly target	No. of C/L in which maintenance activity carried out till last month	Nos carried out this month	Balance	Backlog if any	Remarks

JTO(E)/SDE(E) remarks on backlog and signature

Contractor

### III.

#### EARTHING

Month	Total No of Earth stations	Monthly target	No. of Earth stations in which maintenance activity carried out till last month	Nos carried out this month	Balance	Backlog if any	Remarks

JTO(E)/SDE(E) remarks on backlog and signature

Contractor

## ANNEXURE-IX

(To be submitted by the contractor along with the quarterly bill claim)

### **ABSTRACT OF ACTUAL PERIODICAL MAINTENANCE CARRIED OUT IN THE QUARTER ENDING**

Name of contractor: \_\_\_\_\_  
\_\_\_\_\_ .A  
Agreement No.: \_\_\_\_\_.

#### I. Daily ACTIVITY: (Tick/fill relevant column)

DAILY OPERATION OF PUMPSET/	DONE FOR ALL THE DAYS	NOT DONE FOR _____ DAYS
DAILY OPERATION OF COMPOUND LIGHTING	DONE FOR ALL THE DAYS	NOT DONE FOR _____ DAYS

#### II. MONTHLY ACTIVITY: (Tick/fill relevant column)

QUARTERLY MAINTENANCE ACTIVITY	DONE AS PER THE TARGET	IF NOT REASONS FOR NOT DOING
--------------------------------	------------------------	------------------------------

#### III. BIENNIAL ACTIVITY: (Tick/fill relevant column)

BIENNIAL MAINTENANCE ACTIVITY	DONE	NOT DONE
-------------------------------	------	----------

Certified that the data given above are true and is based on the periodical repair/maintenance work done by us at \_\_\_\_\_ (bldg/site)

Certified that we have carried out maintenance properly as per schedule of work and as per terms and condition of the agreement and testing/drills etc. required during the period has been performed.

Contractor/authorized representative      Counter signed  
by JTO(E)/ SDE(E)

**ANNEXURE- X**

**CERTIFICATE TO BE SUBMITTED ALONG WITH EACH BILL**

1. CERTIFIED THAT WE HAVE CARRIED OUT THE OPERATION & COMPREHENSIVE MAINTENANCE OF ELECTRICAL SERVICES OF STAFF QUARTERS AT \_\_\_\_\_ COVERED IN THE ABOVE CONTRACT SATISFACTORILY, EXCEPT THE FOLLOWING DUE TO THE REASONS MENTIONED AGAINST THE RESPECTIVE ITEM:

Sl.No	ITEM/SERVICES	REASONS FOR NON OPERATION

2. CERTIFIED THAT REQUIRED INVENTORY HAS BEEN REPLENISHED BY US.  
3. CERTIFIED THAT EPF FOR THE EMPLOYEES ARE REMITTED WHEREVER APPLICABLE.  
4. CERTIFIED THAT WE HAVE COMPLIED WITH PROVISIONS OF MINIMUM WAGES ACT 1948.

SIGNATURE OF CONTRACTOR

Countersigned by: JTO(

E)/SDE(E)

LIST OF APPROVED MAKES-BSNLELECTRICAL WING

S.No.	Item	Makes
1	Engine	AshokLeyland/Cummins/Caterpillar/KOEL/Volvo Penta / Mahindra & Mahindra (up to 40 KVA) /Escorts (upto30KVA)/Eicher(upto20 KVA)
2	Alternator(Brushless)	CromptonGreaves(AL.series) /KEC/ LeroySomer/Stamford/Jyoti Ltd
3	Battery(Lead Acid/Mntc.Free)	AmaraRaja/AMCO/Farukawa/Hitachi/ Exide/ Prestolite/Standard
4	HV Switchgear(Vacuum CircuitBreaker/SF6)	BieccoLawrie/Crompton/Kirloskar/MEI/ JyotiLtd
5	Transformer (Oil filled / Drytype)	ABB / Schneider Electric /Andrew Yule / Bharat Bijlee /Crompton/EMCO/Kirloskar/Siemens
	a) Above400KVA	
	b)Up to400KVA	In addition to above makes, Uttam/Automatic ElectricGear(AEG)/Patson/RajasthanTransformerandSwitch gear
6	AirCircuitBreaker	L&T/SchneiderElectric/Siemens
7	MCCB(Ics=Icu)	L&T/SchneiderElectric/Siemens
8	SDFunits	L&T/SchneiderElectric/Siemens/HPL/Havells
9	PowerContactors	L&T/SchneiderElectric/Siemens/Lakshmi(LECS)
10	ChangeOver Switch	HPL/ Havells/ H-HELcon
11	IntelligentAPFCRelay	L&T/EPCOS(Siemens)/ Schneider Electric / NeptuneDucati/Syntron/ABB
12	BusBarTrunking/Sandwiched BusDuct	Moeller/L&T/SchneiderElectric/ABB/Legrand/Zeta
13	PowerCapacitors(MPP/APP)	L&T/EPCOS(Siemens)/ABB/Crompton/Schneider Electric/NeptuneDucati
14	Digital/KW Hr meter	SchneiderElectric/AE/Digitron/ IMP/Meco/Rishabh/ Universal/HPL/L&T/ABB
15	ColdshrinkHT/LTCableJoint	Denson/3M(M-Seal)/Raychem
16	RubberMatting	ISImark
17	MCB/ Isolator /ELCB/RCCB/Distribution Board	Crompton /Havells / Indokopp / MDS Legrand/ L&T /SchneiderElectric/Siemens/Standard/C&S/ABB/HPL
18	MS/ PVCConduit	ISImark
19	CableTray	MEM/Bharti/Ratan/Slotco/Profab
20	HT/LT Cables	ISImark
21	PVCinsulated copper conductorwire	ISImark
22	CentrifugalPump	Amrut / BE/ Beacon/ Batliboi/ Crompton/Jyoti /



		Kirloskar /KSB/ Mather&platt/WASP/Grundfos
23	Submersible Pump	Crompton/Amrut/ BE/ Calama/Kirloskar/KSB
24	Motors	ABB/BharatBijlee/CromptonGreaves/Schneider Electric/ HBB/KEC/Siemens/JyotiLtd
25	Fresh Air Fans	GE/Khaitan/Almonard/Crompton
26	Starter	ABB/ BCH/ Schneider Electric/ L&T/Siemens/
27	Single Phase Preventer	L&T /Minilec/ Siemens/Zerotrip
28	GI/MSPipe	ATC/ATL/BST/GSI/ITC/ITS/IIA/JST/Jindal /TTA/Tata/Zenith
29	Foot Valve	ISI mark
30	Gate Valve	Advance/Audco/JohnsonControls/Zoloto/Annapurna/ Fountain/Kirloskar /Leader / Sant/Trishul
31	Compressors	Carrier/Emersoncopeland/York/Danfoss(for chillers only)
32	Resin Bonded Glass wool	Fibre Glass/Pilkingston/UPT wiga
33	Expanded Polystyrene	BASF(India)Ltd.
34	Gauge	Feibig/ H.Guru/Pricol
35	Controls	FLICA/Honeywell/Indfoss/Penn-Danfoss/Ranco/ Ranutrol/Sporland
36	Fine Filters	AnfiltraEffluent/ARW/Athlete/Airtake/Dyna/ Kirsloskar/Puromatic/Purafill/Purolator/Tenacity
37	GI Sheet	HSUJindal /National / NipponDenro/Sail /Tata
38	Heat Detector	Appollo/Chemtron/Edward/Fenwal/Hochiki/Nitton /SystemSensor/Wormald/HoneywellEssar/Notifier
39	Ionization Detector	Appollo / Cerebrus / Edward/ /Fenwal / Hochiki / Nitton /SystemSensor/Wormald
40	Photo Electric Smoke Detector	Appollo/Cerebrus/Edward/Fenwal/Hochiki/Nitton/ Wormald
41	Fire Panel (Microprocessor based)	Agni Instruments/Agni Devices/Aruna Agencies/Carmel Sensor / Ravel Elect./Honeywell Essar/Notifier/Navin Systems
42	Sprinkler/ Hose Reel & Hose Pipe	ISI mark
43	Fire Extinguisher	ISI mark
44	Lift	OTIS,Kone,Mitsubishi,Schindler,Johnson

- a. Any other approved makes as approved till the date of opening of tender shall be included in the approved make.

Contractor

Executive Engineer(E)

### **RELEVANT IS STANDARDS**

<b><u>STANDARDS</u></b>	<b><u>TITLE</u></b>
IS 732-1989	CODE OF PRACTICE FOR ELECTRICAL WIRING INSTALLATIONS
IS 3043-1987	Code of practice for earthing
IS 5216-PART II 1982	Guide for safety procedures and practices in electrical works (general)
IS 374-1979	Electric ceiling type fan and regulator
IS 11037-1984	Electronic type fan regulator
IS 4237-1982	General requirements for switch gear and control gear not exceeding volts 1000 Volts AC
IS 2675-1983	Enclosed Distribution fuse boards and cutouts for voltages not exceeding 1000 Volts AC
IS 8828-1996	Electrical accessories—Circuit breakers for overcurrent protection for household and similar installation.
IS 13032-1991	AC miniature circuit breaker boards for voltages up to and including 1000 Volts AC
IS 8544-part 1-1977	Motor starters for voltages not exceeding 1000 Volts: direct on line AC starters.
IS 694-1990	PVC insulated cables for working voltages up to and including 1100 Volts
IS 3854-1997	Switches for domestic and similar purposes

Executive Engineer (E)

Contractor

PROFORMA OF SCHEDULES (Operative Schedules to be supplied separately to each intending tenderer)	
<u>SCHEDULE 'A'</u> Schedule of quantities:	Attached
<u>SCHEDULE 'B'</u> Schedule of materials to be issued to the bidder:	Nil
<u>SCHEDULE 'C'</u> Tools and plants to be hired to the bidder:	Nil
<u>SCHEDULE 'D'</u> Extra schedule for specific requirements/documents for the work, if any:	Nil
<u>SCHEDULE 'E'</u> Schedule of components of Materials, Labour etc. for escalation:	Nil
<u>SCHEDULE 'F'</u> Reference to General Conditions of contract:	
Name of work:	As per NIT notification page No 3
Estimated cost of work:	
Earnest money:	
Security Deposit and performance Guarantee	
General Rules & Directions: Officer inviting tender:	Executive Engineer (E) Electrical Division- III Chennai
Definitions:	
2(v) Engineer-in-Charge	Executive Engineer (E) Electrical Division- III Chennai
2(vi) Accepting Authority	Executive Engineer (E) Electrical Division- III Chennai
2(x) Percentage on cost of materials and labour to cover all overheads and profits	10% (TEN)
CLAUSE 5	
Time allowed for execution	<b>Six months</b>
Authority to give fair and reasonable extension of time for completion of work:	EE (E), ED-III, Chennai
Competent Authority for deciding reduced rates:	EE (E), ED-III, Chennai
Clause 25	
Competent authority for conciliation:	SE (E) not in-charge of the work.

## **BSNLEW-8**

**Bharat Sanchar Nigam  
Limited Electrical Wing**

**Electrical Division: III, Chennai**

**Sub Division: CANI**

1. I/we have read and examined the notice inviting tender, schedule, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, special conditions, Schedule of Rates and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.
2. I/We hereby tender for the execution of the works specified for BSNL within the time specified, schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.
3. I/We agree to keep the tender open for ninety (90) days from the due date of submission thereof and not to make any modifications in its terms and conditions.
4. If I/We, fail to commence the works specified, I/We agree that the said BSNL shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely and the same may at the option of the competent authority on behalf of BSNL be recovered without prejudice to any other right or remedy available in law out of the deposit insofar as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise.
5. Should this tender be accepted, I/We agree to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered up to maximum of percentage mentioned in clause 12.3 of the tender form and those in excess of that limit at rates to be determined in accordance with provisions contained in clause 12.2.
6. I/we agree to furnish to BSNL, Deposit at Call receipt/FDR/ Bank guarantee of a Nationalized/Scheduled Bank for an amount equal to 5% of the of the contract value in a standard format within two weeks from the date of issue of award letter. I/We agree to keep the performance bank guarantee valid as per the BSNL terms and conditions.
7. I/We hereby declare that I/We shall treat the tender documents, drawings and other records connected with the work as secret/confidential documents and shall not communicate information derived therefrom to any person other than to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety or interest of BSNL.

Signature of Witness (required in the case of bidder's thumb impression is given by the bidder in place of signature) Occupation of Witness :	(Signature of bidder) (Name & Postal address)    Seal of Bidder    Date:
---	---

### **Acceptance of Tender**

The above tender (as modified by you as provided in the letters mentioned hereunder) is accepted by me for and on behalf of BSNL for a sum of Rs. \_\_\_\_\_ (Rupees \_\_\_\_\_)

The letters referred to below shall form part of this contract Agreement a)  
b)

For & on behalf of BSNL

Dated

Signature  
: Designation: