

Bharat Sanchar Nigam Limited (Electrical Wing)

O/o The Superintending Engineer (E)
BSNL Electrical Circle-II
No.22, Kellys Road,
Chennai - 600010.
Office: 044-26403434

E-mail: <u>eeec2tender@gmail.com</u>

SHORT NOTICE TENDER

Name of the work:- Providing EI & Fittings in Type IV Staff quarter in Block E (E7) at DR.B.R.Ambedkar BSNL staff quarters in Taylors Road, Kilpauk, Chennai. (As per BSNL Norms and as per the DOT Requirement)

NIT No.: 16 /EE-T/EC-II/BSNL/CH/25-26

Telephone No. of agency:

| This tender document contain | ins 33(Thirty three) pages only |
|------------------------------|-------------------------------------|
| | (To be filled in by the Contractor) |
| Name of the Agency | |
| Address | |
| | |
| | |

Contractor Page 1 of 31 Executive Engineer

INDEX

| SL.No | Description | Page no. |
|-------|---|----------|
| 1 | Front cover and Index | 2 |
| 2 | Notice Inviting Tender form - BSNL EW6 | 5 |
| 3 | General Instructions to the Bidders | 10 |
| 4 | Undertaking to abide by EW 6 & EW 8 (Form 'A') | 11 |
| 5 | Undertaking regarding EPF& ESI provisions (Form 'B') | 12 |
| 6 | Performance report of works (Form 'C') | 12 |
| 7 | No Near relative working certificate (Form 'D') | 12 |
| 8 | Model form of Bank Guarantee for EMD (Annexure-I) | 13 |
| 9 | Model form of Performance security Guarantee bond (Annexure-II) | 14 |
| 10 | Schedule of Quantities | 15 |
| 11 | Specifications | 23 |
| 12 | List of Approved Makes | 28 |
| 13 | List of Indian Standards | 30 |
| 14 | Proforma Schedules | 31 |
| 15 | BSNL EW – 8 form | 32 |

Contractor Page 2 of 31 Executive Engineer

INFORMATION AND INSTRUCTIONS FOR BIDDERS

The Executive Engineer (Elect Plg & Tender), BSNL, Electrical Circle-II, Chennai on behalf of the CMD, BSNL invites Item rate bids from eligible bidders in Single bid system for the following work:

NIT No.: 16/EE-T/EC-II/BSNL/CH/25-26

| 1 | Name of work | Providing EI & Fittings in Type IV Staff quarter in Block E (E7) at DR.B.R.Ambedkar BSNL staff quarters in Taylors Road, Kilpauk, Chennai. (As per BSNL Norms and as per the DOT Requirement) |
|---|--|---|
| 2 | Estimated cost put to tender | Rs.198189/- |
| 3 | Earnest Money | Rs. 3964/- |
| 4 | Period of completion | 15 Days |
| 5 | Tender Fee(Non- refundable) | Rs.500 (+) 18% GST=Rs 590/- |
| 6 | Last date & time forsubmission of tender | Up to 15:00 Hrs. on 20.06.2025 |
| 7 | Date and time for opening of tender | 15:30 Hrs. on 20.06.2025 |

ELIGIBILITY CRITERIA

The bidders satisfying the following conditions:

(1) Average annual turnover during the last 3 years, ending 31st March of the previous financial year, should be at least 30% of the estimated cost put to tender.

<u>AND</u>

(2) BSNL enlisted contractors in Electrical category of respective class as per their tendering limits and also having HT license.

IMPORTANT INSTRUCTIONS TO BIDDERS DOWN LOADING THE TENDER DOCUMENT FROM WEB SITE

The bidders, who have down loaded the tenders from the web site, shall read the following important instructions carefully before quoting the rates and submitting the tender documents.

1. The tenderer should see carefully and ensure that the tender document containing all the

Contractor Page 3 of 31 Executive Engineer

pages as per the index has been down loaded for making required entries. The balance pages of Standard BSNL EW8 form will be attached with the agreement after the award of work.

- 2. A clear print out of tender document shall be taken on good quality A4 size paper and the printer settings, etc., shall be such that the document is printed as appearing in the web and without any change in format, number of pages, etc., and shall also ensure that no page is missing. Only original computer printout of the document shall be used. Photocopy shall not be accepted.
- 3. In case of any doubt in the downloaded tender, the same shall be got clarified from the Engineer in charge calling the NIT before submission.
- 4. The name of the bidder shall be filled on the relevant pages of tender document and all the pages shall be invariably signed. (With stamp)
- 5. The tenderer shall ensure that the downloaded tender document is properly stitched before submitting the document.
- 6. There shall be no correction / addition / alteration / omission made in the text of the downloaded tender document. If found otherwise, the same shall be treated as non-responsive and rejected.
- 7. The tenderer shall sign the declaration enclosed before submitting the tender.
- 8. The tenderer shall submit the tenders in 2 covers marked as No.1 and No.2. The tenderer shall submit the credentials for meeting the eligibility conditions along with the cost of the tender fee and EMD in the prescribed format as detailed in NIT, along with a covering letter on his printed letter head stating the details of enclosures in the **first cover**. The credentials shall be self-attested. The **second cover** shall contain the price bid. The rates and amounts should be filled in the schedule of work attached thereto.
- 9. The **cover-1** shall contain the following.
 - a. Tender Fee in the prescribed format
 - b. EMD in the prescribed format
 - c. Certificate of Financial Turnover from Chartered Accountant if applicable
 - d. Documents fulfilling Eligibility criteria (Please note that in case the bidder is authorised by the manufacturer, the original authorisation letter is to be scanned and uploaded)
 - e. Enlistment certificate issued by BSNL if applicable
 - f. Electrical license issued by TN Govt.
 - g. GST Registration Number details
 - h. PAN Card
 - i. EPF and ESI Registration certificate if applicable
 - j. Certificate of work experience issued by client department (Form 'C') if applicable

Not submitting the above documents in Cover-1, the Cover-2 will not opened

10. The Cover-1 and 2 shall be deposited in the tender box available in the office of tender opening authority, by all the bidders before 3:00 PM on 20.06.2025 the tender opening date, failing which the tender shall not be opened.

Contractor Page 4 of 31 Executive Engineer

BSNL EW-6

Bharat Sanchar Nigam Limited Electrical Wing

Electrical Division: **EE Tender, EC-2, Chennai.** Sub Division: **ESD-II**

NIT No.: 16 /EE-T/EC-II/BSNL/CH/25-26 dated 14.06.2025

Item rate tenders on single bid system are invited on behalf of CMD,BSNL for the work "Pdg Providing EI & Fittings in Type IV Staff quarter in Block E (E7) at DR.B.R.Ambedkar BSNL staff quarters in Taylors Road, Kilpauk, Chennai. (As per BSNL Norms and as per the DOT Requirement) from the eligible bidders as per NIT notification. The enlistment of the bidders should be valid on the opening date of tender. In case the date of opening of tender is extended, the enlistment of bidder should be valid on the original date of opening of tender.

- 1. Tenders which should always be placed in sealed covers with the name of the work written on the envelope will be received and opened by the tender opening authority as per the date and time mentioned in **INFORMATION AND INSTRUCTIONS FOR BIDDERS**. **Unsealed tenders will be summarily rejected**.
- 2. Intending bidder is eligible to submit the bid provided that he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority as per the eligibility conditions mentioned in the NIT notification page.
- 3. The work is estimated to cost **Rs 198189/-** This estimate, however, is given merely as a rough guide.
- 4. Agreement shall be drawn with the successful bidder on prescribed form as amended up to the date of opening of tender. Bidder shall quote his rates as per various terms and conditions of the said form which will form part of the agreement.
- 5. The time allowed for carrying out the work will be **15 Days** from the 10th day after the date of written order to commence the work.
- 6. The site for the work is available / or the site for the works shall be made available in parts. The successful bidder shall execute the work in coordination with other agencies working in the campus.
- 7. The bid documents consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from website www.chennai.bsnl.co.in at free of cost. The BSNL EW-8 document can be seen from the web site www.chennai.bsnl.co.inatfree of cost.
- 8. The Tender Feein the form of Demand Draft issued by the Nationalized / Scheduled bank authorized by the Reserve Bank of India, drawn in favour of **BSNL**, **Chennai Telephones** payable at **Chennai**. The validity of the tender cost in the form of DD shall be **60 days** from the date of opening.
- 9. The Earnest money deposit (EMD) in the form of Demand Draft / FDR / BG (BG is only for Air Conditioning, Diesel Engine Alternator, Lifts, and Sub Station works wherever the amount of EMD is more than Rs.20,000)/ CDR of a nationalized / scheduled bank authorized by the

Contractor Page 5 of 31 Executive Engineer

Reserve Bank of India, drawn in favour of **BSNL**, **Chennai Telephones** payable at **Chennai.** The validity of the EMD in the form of DD shall be 60 days from the date of opening. If the EMD is in the form of CDR/FDR/BG, the validity shall be 180 days from the date of opening. In case of L1 bidder, the validity of CDR/FDR/BG is to be extended up to the observation period as that of the Performance guarantee / Security deposit. Exemption from payment of Tender Fee, Earnest Money and Security Deposit by any other unit/ department shall not hold good for BSNL.

- 10. The last date for submission of bid is **20.06.2025 up to 3:00 PM** and the bid submitted shall be opened at 03:30 PM on the day. If a holiday is declared on the tender opening day, the tender will be opened on the next working day.
- 11. **Performance Guarantee**: The bidder is required to furnish Performance guarantee for an amount equal to 5% of the contract value in the form of bank guarantee/CDR/FDR/DD (of a Nationalized/ Scheduled Bank in a standard format) within two weeks from the date of issue of acceptance letter. This period can be further extended by the Engineer-incharge up to a maximum period of two weeks on written request of Bidder. The validity period of the performance security in the form of performance bank guarantee shall be: Two Months from the date of actual completion of work, for AMC works; and One year from the date of actual completion of work for all other works. **In case the bidder fails to deposit the said performance guarantee within the stipulated period, including the extended period if any, the Earnest Money deposited by the bidder shall be forfeited automatically without any notice to the bidder and the bidder will not be allowed to participate in the re tendering for the same work.**
- 12. Security Deposit: In addition to Performance guarantee stated above, a sum @ 10% of the gross amount of the bill shall be deducted from each running bill of the contractor till the sum be deducted with the sum already deposited as earnest money, will amount to security deposit of 5% of the contract value of the work. The security deposit shall be released after an observation period as follows: Three Months from the date of actual completion of work, for AMC works; and One year from the date of actual completion of work for all other works.
- 13. If it is found at any stage of tender scrutiny after submission of tender that the bidder has made any correction/addition/alteration/omission intender documents vis-à-vis tender documents available on the website /original Draft NIT in office, the bid shall be treated as non-responsive and shall be summarily rejected and the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further, the bidder shall not be allowed to participate in the retendering process of the work.
- 14. The Tender documents shall not be sent through the Courier/Post. Tender documents received through Courier/post shall not be opened/considered at all. All communication with the bidders shall be in writing. Fax / E-mail shall be covered under this category and considered as adequate means of communication.
- 15. Intending bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders, the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their tender. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent on any misunderstanding or otherwise shall be allowed. The bidder shall be responsible for arranging and maintaining at

Contractor Page 6 of 31 Executive Engineer

his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the

- 16. contract documents. Submission of a tender by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the BSNL and local conditions and other factors having a bearing on the execution of the work.
- 17. The competent authority on behalf of the CMD does not bind himself to accept the lowest or any other tender and reserves to himself the authority to reject any or all the tenders received without the assignment of any reason. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected. The competent authority on behalf of CMD reserves to himself the right of accepting the whole or any part of the tender and the bidder shall be bound to perform the same at the rate quoted.
- 18. Canvassing whether directly or indirectly, in connection with tenders is strictly prohibited and the tenders submitted by the bidders who resort to canvassing will be liable to rejection.
- 19. Agreement shall be drawn with the successful bidder on prescribed form. Bidder shall quote his rates as per various terms and conditions of the said form, which will form part of the agreement.
- 20. The bidder should give a certificate as per the following that none of his/her relative is employed in BSNL units as per **Form 'D'**. In case of proprietorship firm, certificate will be given by the proprietor and for partnership firm certificate will be given by all the Directors of the company.
 - a. Near relatives of all BSNL employees either directly recruited or on deputation are prohibited from participation in tenders and execution of works in the different units of BSNL. The near relatives for this purpose are defined as:
 - i. Members of a Hindu Undivided family.
 - ii. They are husband and wife.
 - iii. The one is related to the other in the manner as father, mother, son(s) & son's wife(daughter-in-law), Daughter(s) & daughter's husband(son-in-law), brother(s) & brother's wife, sister(s) & sister's husband(brother -in-law).
 - b. The company or firm or any other person is not permitted to tender for works in BSNL unit in which his near relative(s) is(are) posted. The unit is defined as SSA/Circle/Chief Engineer/Chief Archt./Corporate office for non-executive employees and all SSA in a circle including circle office/Chief Eng./Chief Archt./Corporate office for executive employees (including those called as Gazetted officers at present). The bidder should give a certificate that none of his/her such near relative is working in the units as defined above where he is going to apply for tender/work, for proprietorship, partnership firms and limited company certificate shall be given by the authorized signatory of the firm. Any breach of these conditions by the company or firm or any other person, the tender/work will be cancelled and earnest money/performance guarantee will be forfeited at any stage whenever it is so noticed. BSNL will not pay any damages to the company or

Contractor Page 7 of 31 Executive Engineer

firm or the concerned person. The company or firm or the person will also be debarred for further participation in the concerned unit.

- c. No employee in BSNL/ Govt. of India is allowed to work as a contractor for a period of two years of his retirement from service without the prior permission. The contract is liable to be cancelled if either the bidder or any of his employees is found at any time to be such a person who had not obtained the permission as aforesaid before submission of tender and engagement in the bidders service.
- 21. The tender for the work shall remain open for acceptance for a period of ninety (90) days from the date of opening of tenders. If any bidder withdraws his tender before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the tender which are not acceptable to the BSNL, then the BSNL shall, without prejudice to any other right or remedy, be at liberty to forfeit 50% of the said earnest money as aforesaid. Further the tenderer shall not be allowed to participate in the retendering process of the work.
- 22. The bidder has to comply with the provisions of EPF and miscellaneous provisions Act-1952 and employees provident fund scheme-1952 as amended up to date in respect of labours/employees engaged by them for this work. Any consequence arising due to non-complying of provisions as specified above shall be the sole responsibility of the firm only. The agency shall give an undertaking to this effect as per **Form 'B'**.
- 23. Extension of Validity of tender: In case, where the letter of award of work cannot be placed within the validity period of the tender, the BSNL can request the bidder to extend the validity of their respective tenders and the Earnest Money deposit by a reasonable period. In such cases, extension of validity of Earnest Money deposit by 30 days beyond the extended validity date of tender should also be asked for. While BSNL can make the request for extension, the tenderer is free to either extend the validity or refuse the request to extend the validity.
- 24. Rates quoted by the contractor shall be firm and shall be valid for the currency of contract. No cost escalation shall be permitted during the currency of contract.
- 25. This notice inviting tender shall form a part of the contract document. The successful bidder, on acceptance of his tender by the Accepting Authority shall within 15 days from the stipulated date of start of the work, sign the contract consisting of:
 - a. The Notice Inviting Tender, all the documents including additional conditions, specifications and drawings, if any, forming part of the tender as uploaded at the time of invitation of tender, subsequent amendments issued and the rates quoted at the time of submission of bid and acceptance thereof together with any correspondence leading thereto.
 - b. Standard BSNL EW-8 form

Contractor Page 8 of 31 Executive Engineer

c. General Instructions to the Bidders

- 1. The intending bidder must read the terms and conditions of BSNL-EW 6 carefully. He should only submit his bid, if he considers himself eligible and he is in possession of all the documents required.
- 2. Information and instructions for bidders posted on website shall form part of bid document.
- 3. Applicants are advised to keep visiting the above mentioned website from time to time (till the deadline for bid submission) for any updates in respect of the tender documents, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the applications complete in all respect including updates thereof, if any. An incomplete application may be liable for rejection.
- 4. Even though any bidder may satisfy the above requirements, he would be liable to disqualification if he has:
- a. Made misleading or false representation or deliberately suppressed the information in the forms, statements and enclosures required in the eligibility criteria document.
- b. Record of poor performance such as abandoning work, not properly completing the contract, or financial failures / weaknesses etc.
- 5. If any information furnished by the bidder is found incorrect at a later stage, he shall be liable to be debarred from tendering/taking up of works in BSNL. The BSNL reserves the right to verify the particulars furnished by the applicant independently.
 - 6. GST and any other tax applicable in respect of this contract shall be borne by the bidder himself. The bidder shall quote his rates considering all such taxes. The TDS as per the Govt. regulations will be recovered from the contractor.

7. **Tender Evaluation**:

- (a) The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices offered inclusive of packing, forwarding, freight and insurance charges etc., but excluding GST. The bid with lowest net cost as elaborated above will be the L1 bidder.
- (b) Vendors should furnish the correct GST Rate in the price schedule. If the Input Tax Credit is found to be not admissible at any stage subsequently owing to wrong furnishing of GST Rate, then the vendors will be liable to refund such non-admissible amount, if already paid, along with penalty if charged by the concerned authority.
- 8. However, pursuant to the constitution (Forty-sixth amendment) act, 1982, if any further tax or levy is imposed by statute, after the last date of receipt of tenders, and the contractors there upon necessarily and properly pays such taxes/ levies, the contractor shall be reimbursed the amount so paid, provided such payment, if any, is not in the opinion of Superintending engineer (whose decision shall be final and binding) be attributable to delay in execution of work within the control of contractor.
- 9. The Contractor shall, within a period of 30 days of imposition of any further tax or levyin pursuant to the constitution of (Forty sixth amendment) act 1982 give a written notice thereof

Contractor Page 9 of 31 Executive Engineer

to the Engineer-in-charge that the same is given pursuant to this condition, together with all necessary information relating thereto.

10. Bye laws Indemnity against liabilities:

- a. The bidder shall comply with all bylaws and regulations of the local and statutory authorities having jurisdiction over the works and shall be responsible for payment of all fees and other charges and giving and receiving all necessary notices and keep the Engineer –in-charge informed about the notices issued and received.
- b. The bidder shall indemnify the department against all claims in respect of patent rights design, trademark or name of other protected rights in respect of any plant, machine, work or materials used for or in connection with the works or temporary works and from and against all claims demands, proceedings, costs, charges and expenses whatsoever in respect of or in relation thereto.
- c. The bidder shall defend all actions arising from such claims and shall himself pay all royalties, License fees, damages, costs and charges of all and every sort that may be legally incurred in respect hereof shall be borne by the bidder.
- d. All liabilities / penal recoveries on matters arising out of tax /levies such as incorrect deductions, discrepancies in the filing of returns, revised assessments by the concerned authorities etc., shall be borne by the bidder.

11. Termination of contract on death of contractor:

Without prejudice of any of the rights or remedies under this contract, if the contractor dies, the Engineer in charge on behalf of the BSNL shall have the option of terminating the contract without compensation to the contractor.

- 12. Indulging of contractor in criminal /antisocial activities and cases under investigation/charge sheeted by CBI or any other government agencies etc.: If the CBI/Independent External Monitor (IEM) /Income tax/ Sales Tax /GST/ Central Excise/Custom Departments recommend such a course Action will be taken as per the directions of CBI or concerned department.
- 13. As a general notion, the terms and conditions/instructions contained in various pages of this document are addressed assuming the bidder as 'Male'. However, the same shall remain and assumed to be addressed in case of 'Female' bidder also, except for the gender centric words, which shall be 'female' centric at appropriate places.

FORM 'A'

Undertaking to abide by EW 6 & EW 8

| "I | Son/Daughter of | |
|-------------------------------------|--|----|
| give an undertaking that I have rea | hereing the complete bid document and I am aware of all the claus 8 forms and I confirm that I will abide by all the terms at 8 forms. | es |
| (Seal of the firm) | (Signature of Bidder) | |

Contractor Page 10 of 31 Executive Engineer

FORM 'B'

| <u>Unc</u> | lerta | king | rega | <u>ardinc</u> | <u> EPF</u> | provisions |
|------------|-------|------|------|---------------|-------------|------------|
| | | | | | | |

| "I |
|---|
| I/ We have registered as per the EPF and Miscellaneous provisions Act, 1952 and our registration no^{**} is We undertake to keep it valid during the currency of contract. |
| In case at any stage, it is found that the information given by me is false / incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me". |
| * strike out whichever is not applicable |
| **Attach a self-attested photo copy of the above said EPF registration certificate. |
| |
| (Seal of the firm) (Signature of Bidder) |
| Undertaking regarding ESI provisions |
| "IResident ofhereby give an undertaking that |
| * I/ We have registered as per the ESI and Miscellaneous provisions Act, 1948 and our registration no.** is We undertake to keep it valid during the currency of contract. |
| In case at any stage, it is found that the information given by me is false / incorrect, BSNL shall have the absolute right to take any action as deemed fit/without any prior intimation to me". |
| * strike out whichever is not applicable |
| **Attach a self-attested photo copy of the above said ESI registration certificate. |
| (Seal of the firm) (Signature of Bidder) |

Contractor Page 11 of 31 Executive Engineer

FORM 'C'

Performance report of works

| 1. | Name of Agen | су | | | | | | | | |
|---------|---|---------------------------|------------------------|--|---------------|--|--|--|--|--|
| 2. | Name of work | | | | | | | | | |
| 3. | Agreement no | | | | | | | | | |
| 4. | Final Value of | Work Done | | | | | | | | |
| 5. | Date of start of | of work | | | | | | | | |
| 6. | Actual date of | completion | | | | | | | | |
| 7. | Performance: | Satisfactory / Not Satis | sfactory | | | | | | | |
| | | | | | | | | | | |
| | Dated: | | Executive | Engineer or Equivalen | t | | | | | |
| | | | | | | | | | | |
| | | | | | 1 'D' | | | | | |
| * | | | | | | | | | | |
| | No Near relative working certificate Son /Daughter of Shri | | | | | | | | | |
| | FORM 'D' No Near relative working certificate Son /Daughter of Shri | | | | | | | | | |
| | | | OP | | | | | | | |
| * Follo | owing are the c | letails of near relatives | working with the BSN | L | | | | | | |
| | SI No | Name of the relative | Designation | Name of the Unit (Office & section of BSNL) where working | | | | | | |
| | | | | | | | | | | |
| *Strike | off which ever | r is not applicable | | | | | | | | |
| . In ca | ase at any stag | e, it is found that the i | nformation given by m | e is false/incorrect, BS | NL shall have | | | | | |
| the abs | solute right to t | take any action as dee | med fit/without any pr | ior intimation to me. | | | | | | |
| | | | | | | | | | | |
| | (Seal of | the firm) | | (Signature of Bidder) |) | | | | | |

Contractor Page 12 of 31 Executive Engineer

Annexure I MODEL FORM OF BANK GUARANTEE FOR EMD (For submitting EMD for Air Conditioning, Diesel Engine Alternator, Lifts, and Sub Station Works wherever the amount of EMD is more than Rs.20,000/-)

| Whe | reas | | | | (hereinaft | er called | "the | bidder(s)") has submitted |
|-------|------------|---------------|--------------|---------|---------------|-----------|-------|------------------------------|
| its T | ender dat | ed | _for the w | ork | | | | .,, |
| | | | | | | | | KNOW ALL MEN |
| by | these | presents | that | WE | | | | OF |
| | | • | having | our | registered | office | at_ | |
| (her | einafter c | alled "the Ba | ank") are | bound | unto | | | (hereinafter called |
| "the | BSNL") ir | n the sum of | · | | for which | ch paym | ent w | vill and truly to be made of |
| the s | said BSNL | , the Bank b | inds itself, | its suc | cessors and a | assigns b | y the | ese presents. |

THE CONDITIONS of the obligation are:

- 1. If the Bidder(s) withdraws its Tender during the period of Tender validity specified on the Tender Form: or
- 2. If the Bidder(s) having been notified of the acceptance of its Tender by the BSNL during the period of Tender validity.
 - (a) Fails or refuses to execute the Contract.
 - (b) Fails or refuses to furnish security Deposit in accordance with the conditions of Tender document.

We undertake to pay to the BSNL up to the above amount upon receipt of its first written demand, without the BSNL having to substantiate its demand, provided that in its demand, the BSNL will note that the amount claimed by it is due to it owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force as specified in the Tender Document up to and including Thirty (30) days after the period of the Tender validity and any demand in respect thereof should reach the Bank not later than the specified date/dates.

Signature of the Bank

Signature of the Witness Name of Witness

Address of Witness:

Contractor Page 13 of 31 Executive Engineer

ANNEXURE II PERFORMANCE SECURITY GUARANTEE BOND

| In consideration of the CMD, BSNL (hereinafter cal called 'the said bidder(s)') from the demand under made dated hereinafter | r the terms and conditions of an between | agreement/Advance Purchase Order No and for the |
|--|--|---|
| supply of (hereinafter by the said bidder (s) of the terms and conditions of we, (| contained in the said Agreement. | on production of the bank guarantee for |
| we, (as "the bank") at the request of BSNL an amount not exceeding caused to or suffered by BSNL by reason of any br the said Agreement. | (bidde against any loss or dama reach by the said Bidder(s) of any | r(s)) do hereby undertake to pay to the age caused to or suffered or would be y of the terms or conditions contained in |
| 2. We (name of the bank)guarantee without any demur, merely on a demanterms or conditions contained in the said Agreeme Any such demand made on the bank shall be conguarantee where the decision of BSNL in these cothis guarantee shall be restricted to an amount not | d from the BSNL by reason of brent or by reason of the bidders(s) inclusive as regards the amount of the shall be final and binding o | each by the said bidder(s)' of any of the ly failure to perform the said Agreement. If and payable by the Bank under this n the bank. However, our liability under |
| 3. We undertake to pay to the BSNL any money bidder(s)/supplier(s) in any suit or proceeding per present being absolute and unequivocal. The paymeter for payment there under and the bidder(s)/supplier | nding before any court or tribuna ent so made by us under this bo | al relating thereto our liability under this and shall be valid discharge of our liability |
| 4. We(name of the bank) | I be taken for the performance SNL under or by virtue of the said (office/BSNL) BSN erly carried out by the said biguarantee is made on us in writing the date hereof, we shall be | of the said agreement and that it shall d Agreement have been fully paid and its L certifies that the terms and conditions dder(s) and accordingly discharges this ag on or before the expiry of TWO/TWO discharged from all liabilities under this |
| 5. We (name of the bank) | e of performance by the said bid ers exercisable by the BSNL agai to the said agreement and we s anted to the said Bidder(s) or for to the said Bidder(s) or by any | Ider(s) from time to time or to postpone inst the said Bidder(s) and to forbear or hall not be relieved from our liability by any forbearance, act or omission on the such matter or thing whatsoever which |
| 5. This guarantee will not be discharged due to the | change in the constitution of the | e Bank or the Bidder(s)/supplier(s). |
| 7. We (name of the bank)with the previous consent of the BSNL in writing. | _ lastly undertake not to revoke t | his guarantee during its currency except |
| Dated the day of | | |
| | for | (indicate the name of hank) |

Contractor Page 14 of 31 Executive Engineer

SCHEDULE OF WORK

Name of work:- :Providing Providing EI & Fittings in Type IV Staff quarter in Block E (E7) at DR.B.R.Ambedkar BSNL staff quarters in Taylors Road, Kilpauk, Chennai. (As per BSNL Norms and as per the DOT Requirement).

| SI No | Description of Item | Qty | Unit | Rate per Unit excludin g GST | Total Amount Excludin g GST (Net cost) | CGST | | SGST | | IGS T | | Total Amount including GST | HSN/SA C code |
|----------|--|---------|------|---------------------------------------|--|------|-------------------|------|-------------------|----------|--------------------|-------------------------------------|------------------|
| | | | | | | % | Amount in Rs | % | Amount in Rs | % | Amo | unt in Rs | |
| | | | | | | | Rs. | | Rs. | | Rs. | Rs. | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8=Col. (6 x 7) | 9 | 10=col.(6 x 9) | 11 | 12=col. (6*11) | 13=col. (6+8+10+12) | 14 |
| 1 | Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 sq.mm FR PVC insulated copper conductor single core cable etc as required. (Group A) | 25 Pts | Pt | | | | | | | | | | |
| 2 | Wiring for light/ power plug with 2X4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit alongwith 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required. | 30 mtrs | Mtr | | | | | | | | | | |

Contractor Page 15 of 31

| 3 | Wiring for light/ power plug with 4X4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit alongwith 2 Nos 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required. | 15 mtrs | Mtr | | | | | |
|-----|---|---------|------|--|--|--|--|--|
| 4 | Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required | | | | | | | |
| 4.1 | 2x1.5 sq.mm + 1x1.5 sq.mm earth wire | | | | | | | |
| | | 30 mtrs | Mtr | | | | | |
| 4.2 | 2x4 sq.mm + 1x4 sq.mm earth wire | | | | | | | |
| | | 20 mtrs | Mtr | | | | | |
| 4.3 | 2x6 sq.mm + 1x6 sq.mm earth wire | 15 mtrs | Mtr | | | | | |
| 5 | Supplying and fixing metal box of 180mm X 100mm X 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connection, painting etc. as required. | 5 Nos | Each | | | | | |
| 6 | Supplying and fixing 5/6 Amps piano type switch and 5/6 amps 3pin socket with swicth box including connections etc. as required. | 5 Nos | Each | | | | | |
| 7 | Supply and fixing of 4Nos.5A switch and 4Nos 5A socket with suitable MS box and covering with phenolic laminated sheet with necessary connections etc.as required. | 1 Nos | job | | | | | |

Contractor Page 16 of 31

| 8 | Supplying and Drawing the following sizes of FRLS PVC insulated copper conductor single core cable in the existing surface/reccesed steel/ PVC coundit as required. make: orbit or any SS make | | | | | | | |
|----|--|---------|------|--|--|--|--|--|
| a) | 3x1.5 sqmm | 15 mtrs | Mtr | | | | | |
| b) | 6x1.5 sqmm | 15 mtrs | Mtr | | | | | |
| c) | 3x4 sqmm | 5 mtrs | Mtr | | | | | |
| 9 | S/F brass batten/angle lamp holder i/c connection etc as required. | 5 Nos | Each | | | | | |
| 10 | S/F call bell buzzar and piano type bell push,suitable for AC/DC single phase 230 V complete as reqd. | 1 Nos | Each | | | | | |
| 11 | Supplying and fixing of LED round fitting suitable for 230 volts 50 Hz Ac supply i/c including connections etc. complete as required. | 2 Nos | Each | | | | | |
| 12 | Supply and fixing of 20W LED type type fitting directly on ceiling /wall including connection with 1.5 Sq.mm FR PVC insulated, copper conductor, single core cable and earthing etc as reqd., | 8 Nos | | | | | | |
| 13 | S/F of 48" high speed ceiling fan with downrod I/c wiring the down rod of standard length (upto 30cm) with 1.5sq.mm PVC insulated copper conductor, single core cable etc. as reqd (make: Crompton /Bajaj /Khaitan /Usha/ orient or SS Make) | 5 Nos | Each | | | | | |

Contractor Page 17 of 31

| 14 | Supply and fixing of fancy type LED fitting directly on wall including connection with 1.5 Sq.mm FR PVC insulated, copper conductor etc as reqd., | | | | | | | |
|------|--|-------|------|--|--|--|--|--|
| | | 6 Nos | Each | | | | | |
| 15 | S/F of 300 mm Sweep 12" heavy duty exhaust fan with louvers with 1.5sq.mm PVC insulated copper conductor, single core cable etc. as reqd (make: Crompton /Bajaj /Khaitan /Usha/ orient or SS Make) | 1 No | Each | | | | | |
| 16 | S/F of 15 Litres capacity (Storage type) Geyser i/c all necessary accessories such as interconnecting pipes/hoses, electrical chord wire with suitable plug, interconnection, testing and commissioning etc as reqd. (Crompton / Havells / Bajaj / or Similar Supr make) | 1 No | Each | | | | | |
| 17 | Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) | | | | | | | |
| 17.1 | 12 way Double door | 1 Nos | Each | | | | | |
| 18 | Supplying and fixing following rating, double pole, 240 volts, isolator in the existing MCB DB complete with connection, testing and commissioning etc as regd., | - | | | | | | |
| 18.1 | 63 amps | 1 Nos | Each | | | | | |

| 19 | Supplying and fixing the following in the existing MCB Distribution boards i/c connections etc complete as required. | | | | | | | |
|------|---|------------|------|--|--|--|--|--|
| 19.1 | 6 - 32 A SP MCB 'C' series | 9 Nos | Each | | | | | |
| 19.2 | Blankers | 1 Nos | Each | | | | | |
| 20 | S/F 16 SWG thick MS sheet for DB adaptors, junction boxes etc, including cutting, bending, grinding, painting two coats of redoxide and approved colour paint etc. as reqd | 1.0 Sgm | sgm | | | | | |
| 21 | Dismantling of existing wiring , EB service connection board, DB, Switches , sockets complete as required | 1 Job | mtr | | | | | |
| | PART B: Providing as the DOT - Addl- Requirement in Type IV Qtrs | | | | | | | |
| 22 | Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 sq.mm FR PVC insulated copper conductor single core cable etc as required. (Group A) | 15 Pts | Pt | | | | | |
| 23 | Wiring for light/ power plug with 2X4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit alongwith 1 No 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required. | 20 mtrs | Mtr | | | | | |

Contractor Page 19 of 31

| 24 | Wiring for light/ power plug with 4X4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit alongwith 2 Nos 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required. | 10 mtrs | Mtr | | | | | |
|------|---|---------|-------|--|--|--|--|--|
| 25 | Wiring for circuit/ submain wiring alongwith earth | | | | | | | |
| | wire with the following sizes of FR PVC insulated | | | | | | | |
| | copper conductor, single core cable in surface/ recessed medium class PVC conduit as required | | | | | | | |
| 25.1 | | 20 mtrs | Mtr | | | | | |
| 25.2 | 4x1.5 sq.mm + 2x1.5 sq.mm earth wire | 20 1118 | IVILI | | | | | |
| 20.2 | TATLO SQLITTITI CALLIT WITE | 10 mtrs | Mtr | | | | | |
| 25.3 | 2x6 sq.mm + 1x6 sq.mm earth wire | 10 1110 | 1410 | | | | | |
| | · · | 10 mtrs | Mtr | | | | | |
| 26 | Supplying and fixing metal box of 180mm X 100mm X 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 & 15/16 amps socket outlet and 15/16 amps piano type switch, connection, painting etc. as required. | 1 Nos | Each | | | | | |
| 27 | Supplying and Drawing the following sizes of FRLS PVC insulated copper conductor single core cable in the existing surface/reccesed steel/ PVC coundit as required. make: orbit | | | | | | | |
| 27.1 | 3x1.5 sqmm | 5 mtrs | Mtr | | | | | |
| 27.2 | 6x1.5 sqmm | | | | | | | |
| | | 5 mtrs | Mtr | | | | | |
| 27.3 | 3x4 sqmm | 2 mtrs | Mtr | | | | | |

Contractor Page 20 of 31

| 28 | Supply and fixing of fancy type LED fitting directly on wall including connection with 1.5Sq.mm FR PVC insulated, copper conductor etc as reqd., | 2 Nos | Each | | | |
|----|--|-------|------|-------------------------------|--|--|
| 29 | S/F of 300 mm Sweep 12" heavy duty exhaust fan with louvers with 1.5sq.mm PVC insulated copper conductor, single core cable etc. as reqd (make: Crompton /Bajaj /Khaitan /Usha/ orient or SS Make) | 2 Nos | Each | | | |
| | Total Amount excluding GST | | | Total amount inclusive of GST | | |

IMPORTANT NOTES:-

| | | |
|------|---|---|
| 1 | The firm shall be responsible to ensure that GST shown in the above columns is correct & Input Tax Credit for the amount shown above is | 1 |
| | admissible as per GST Act as amended up to date". | |
| 2 | Invoice /Bill should be pre-printed as per the GST format. | |
| 3 | The evaluation and comparison of responsive bids shall be done on the basis of Net cost to BSNL on the prices offered inclusive of packing, forwarding, freight and insurance charges etc., but excluding GST | |
| 4 | The rates for all items of work shall, unless clearly specified otherwise, include cost of all labour, materials and other inputs involved in the execution of the terms as specified in the scope of work. | |
| 5 | No advance payments can be made. Stipulations like levy of interest if payment is not made in a specified time are also not acceptable and the payment is governed by the normal BSNL practice. | |

SPECIFICATIONS A. GENERAL

1.0 SCOPE OF WORK

Supplying and Installation of Cyclic Controller for Window type / Split AC units with digital temperature controller and Timer circuit as per the schedule and specifications . . All tools required for proper operation is in scope of execution.

- 1) Power coated MS Box size may be of (8" x 10" x 5") Size for easy mounting of Digital Temperature controller with Timer and convenience of wiring with bigger connector block & terminal outside the box.
- 2) Length of the temperature sensor may be increased to 3 Metres.
- 3) User Manual / Setting details of the temperature controller has to be kept inside the Controller box.
- 4) Buzzer may be mounted at the site of the box.
- 5) Upon reaching the set temperature, Both units should be completely switched OFF and the restart of the unit shall be ensured with as minimum time phase of 2 Mintues. The Unit/Units shall completely shut OFF when set Temp is achieved.
- 6) Sensor cables may be laid in suitable PVC pipe with clamping if required at site.

Run the AC units for at least 15 minutes until Checking the unit working within set values of various parameters . Inform to SDE for any abnormalities.

- 1. The following check are to be done before starting of the Engine:-
- a) Check at what temperature the first Ac is switching on
- b) Check at what temperature the second AC also Switching ON
- c) Check the High Temperature Alarm
- d) Check at what temperature the Units are tripping
- e) Check the ambient temperature during the testing

2.0 **METHODOLOGY**

- 2.1 It is presumed that contractor will provide qualified staff at the site, which will be adequate to perform all Electro mechanical services,.
- 2.2 In case of faults beyond the capacity of the staff provided as above, contractor shall immediately provide extra-specialized work force so as to attend to the fault in minimum reasonable time without any extra cost.
- 2.3 If during the period of contract, any of the inventory are added/ altered, all inclusive of the same shall be done by the firm.

Contractor Page 22 of 31 Executive Engineer

3.0 MATERIALS AND TOOLS & PLANTS

- 3.1 While attending the faults the replacement of material shall be with the same rating and make as that of the original. The firm may also replace an item with energy efficient item wherever the same is available with the approval of Engineer in charge. However, in case of non-availability of a particular make, Engineer-in-charge will approve the alternate make.
- 3.2 Dismantled and unserviceable items for which a replacement is supplied, shall be removed from the site under intimation to the JTO(E)/SDE(E).
- 3.3 All materials shall be of approved make, model and capacity and shall be matching to the system.
- 3.4. All tools and plants, testing & safety equipments required for carrying out various tasks relevant to fault attending have to be arranged by firm at its own cost.
- 3.5 The firm shall possess sufficient quantity of tools such as screw driver, tester, cutting pliers, tools and meters such as clamp meter, earth megger, insulation tester ,digital thermometer, anemometer etc., of sufficient quantity for carrying out the attending the faults activity.
- 3.6 The firm shall also coordinate with the JTO (E) / SDE (E) for carrying out energy audit/capacity test at site with respect to AC units.
- 3.7 The Firm/Contractor will provide the workers with necessary Safety Equipments.

4.0 **COMMERCIAL**

- 4.1 The tenderer must obtain himself on his own expenses, all the information necessary for the purpose of tendering, inspect the site and acquaint himself with all the local conditions, means of access to work and nature of work etc. No claim shall be entertained on this account.
- 4.2 The workers engaged by firm should maintain proper discipline and good behavior with occupants.
- 4.3 The firm shall remove such workers from the site whose behaviour is found improper. Executive Engineer's decision in this matter shall be final.
- 4.4 Any damage to the installation (s) / building during the attending the faults period due to the carelessness on the part of maintenance staff shall be the responsibility of firm & be replaced / rectified without any extra cost.
- 4.5 Any accident or damage during attending the faults will be the responsibility of agency & BSNL will not entertain any claim, compensation, penalty etc. on this account or on account of non-observance of law to the work.
- 4.6 Agency has to observe all the labour rules & regulations in force.
- 4.7 Dismantled materials shall be returned to the department except those items for which the replacement is supplied by the agency.
- 4.8 The BSNL reserves the right to carry out any work at the risk and cost of the agency, if the agency fails to perform any duty as per the contract.
- 4.9 The tenderer must obtain himself at his own expense all the information necessary for the purpose of execution, before tendering.
- 4.10 The agency should inspect the site & acquaint itself with all the local condition, means of access to work & nature of work etc. No claim shall be entertained on these accounts.
- 4.11 The contractor shall not sublet the work or part thereof. However, services of specialised agencies for specified work can be obtained.

Contractor Page 23 of 31 Executive Engineer

- 4.12 The firm shall maintain the installation(s) in such a way as to provide uninterrupted required conditions in air conditioned rooms.
- 4.13 The BSNL reserves the right to terminate the contract by giving show-cause notice of one month duration at any time during the currency of the contract.
- 4.14 The BSNL reserves the right to extend the contract as per the provisions of agreement at the same rate & conditions.
- 4.15 The contractor has to keep all the Electro mechanical equipment at site neat and clean to avoid any accident and fire hazard.
- 4.16 Firm should have the round the clock contact number. In case of emergency contractor and authorized engineer / supervisor shall be available at the site on short notice from engineer-in-charge and make efforts to take situation to normal at the earliest.
- 4.17 The contractor agrees that he shall at all times indemnify BSNL against all claims for compensation under the provisions of any law for the time being in force or in respect of any person employed by it in carrying out the contract. Further, such staff has no right to claim employment in BSNL.
- 4.18 Contractor has to observe all the labour rules and regulations in force & BSNL shall not be liable for any default.
- 4.19 The Firm/Contractor will provide the workers with necessary Testing and Safety Equipment.
- 4.20 BSNL is having right to pre close the agreement in special cases with one month notice without assigning any reason.
- 4.21 BSNL is having the right to curtail the quantity according to the requirement.
- 4.22 The rates quoted must be full & final. Nothing extra is payable other than quoted rates. Clause10-CC shall not be applicable for this account.

5.0 DAMAGES TO BSNL INSTALLATION:

- 5.1 Any damage to the installation(s)/building While attending the faults due to the carelessness on the part of maintenance staff shall be the responsibility of firm/contractor & shall be replaced/rectified by the firm without any extra cost.
- 5.2 Any accident or damage during attending the fault period will be the responsibility of the firm/contractor & BSNL will not entertain any claim, compensation, penalty etc. on this account or on account of non observance of any other requirement of law relevant to his work.

6.0 CURRENCY OF CONTRACT:

- 6.1 The currency of contract shall be **2**<u>months</u>. BSNL reserves the right to terminate the contract by giving show cause notice of one-month duration at any time during the currency of the contract.
- a. The BSNL reserves the right to curtail any quantity during the currency of contract without assigning any reason.
- 6.2 The BSNL reserves the right to extend the contract for a maximum period of Two months (Two months at a time) at the same rates & conditions, without the consent of the firm and beyond this period with mutual consent.

7.0 TERMINATION OF CONTRACT:

7.1 Right is reserved by BSNL for terminating the contract due to serious default. This includes major break down or accident or loss due to negligence on the part of firm, failure to attend breakdown, disobedience and abandoning the site etc. In such a case, Full Performance Guarantee shall be forfeited to BSNL. The decision of Executive Engineer (E) in this regard shall be final and binding.

Contractor Page 24 of 31 Executive Engineer

7.2 Right is reserved by BSNL for closure of the contract at any time by giving one month's notice without assigning any reasons. The decision of Executive Engineer shall be final and binding on the contractor for closure of contract and for which BSNL shall not entertain any claim.

8. GENERAL CONDITIONS:

- 1.1. The contractor shall not sublet the work. However, services of specialized agencies for specific work can be obtained.
- 1.2. The contractor agrees that he shall at all times indemnify BSNL against all claims for compensation under the provisions of any law for the time being in force or in respect of any person employed by it in carrying out the contract. Further, such staff has no right to claim employment in BSNL.
- 1.3. The Contractor will provide the workers with necessary T & P, Testing & safety equipments.
- 1.4. Contractor has to observe all the labour rules and regulations in force & BSNL shall not be liable for any default.
- 1.5. Firm is responsible to keep workable spares and consumables for due
- 1.6. As service such as Air-conditioning services are of critical nature, the firm will ensure that the labours engaged are well trained to take responsibility and initial steps under emergency situation.
- 1.7. In case of Emergency, contractor and/or his authorized engineer or supervisor shall be available at short notice from Engineer-in-charge and make all efforts to make the situation normal at the earliest.

9.TEST CHECK BY THE FIELD ENGINEERS:

✓ For the purpose of assessing the quality of service rendered by the firm against the above contract, the SDE & JTO shall carryout inspection & test checks of the service/work under the contract periodically.

10.0 Guarantee and Defect Liability

- 13.1 The guarantee for replaced components / equipments/spares shall be valid for twelve months from date of replacements. The contractor shall guarantee that all replaced components / equipments/spares are free from any defects and also the equipments work with satisfactory performance and efficiency not less than the guaranteed values.
- 13.2 In case the contractor fails to depute his representative to attend the fault within the time frame stipulated in various clauses or fails to cause remedial measure within reasonable time, BSNL may proceed to do so at the contractor's risk and expenses and without prejudice to any right of the BSNL to recover such expenses.
- 13.4. Wherever AC units/ components of other services are replaced by BSNL, the firm shall take over such units/services immediately on expiry of guarantee period.

Contractor Page 25 of 31 Executive Engineer

LIST OF APPROVED MAKES- BSNL ELECTRICAL WING

| S. No. | Item | Makes |
|--------|--|--|
| 1 | Engine | Ashok Leyland /Cummins/ Cater pillar / KOEL/ Volvo Penta / Mahindra & Mahindra (up to 40 KVA) /Escorts (up to 30 KVA)/ Eicher (up to 20 KVA) |
| 2 | Alternator(Brushless) | Crompton Greaves (AL. series) / KEC / Leroy Somer / Stamford/Jyoti Ltd |
| 3 | Battery (Lead Acid / Mntca. Free) | Amara Raja / AMCO / Farukawa / Hitachi / Exide/ Prestolite / Standard |
| 4 | HV Switchgear (Vacuum Circuit Breaker/SF6) | BieccoLawrie / Crompton / Kirloskar / MEI / Jyoti Ltd |
| 5 | Transformer (Oil filled / Dry type) | ABB / Schneider Electric /Andrew Yule / Bharat Bijlee / Crompton / EMCO / Kirloskar / Siemens |
| | a) Above 400 KVA | |
| | b) Up to 400 KVA | In addition to above makes, Uttam/Automatic Electric Gear(AEG)/Patson/Rajasthan Transformer and Switchgear |
| 6 | Air Circuit Breaker | L&T/ Schneider Electric / Siemens |
| 7 | MCCB(Ics=Icu) | L&T/ Schneider Electric / Siemens |
| 8 | SDF units | L&T/ Schneider Electric / Siemens/ HPL/Havells |
| 9 | Power Contactors | L&T/ Schneider Electric / Siemens/ Lakshmi(LECS) |
| 10 | Change Over Switch | HPL / Havells / H-H Elcon |
| 11 | Intelligent APFC Relay | L&T/EPCOS(Siemens)/ Schneider Electric / Neptune Ducati/Syntron/ABB |
| 12 | Bus Bar Trunking/ Sandwiched Bus Duct | Moeller/L&T/Schneider Electric/ABB/Legrand/Zeta |
| 13 | Power Capacitors (MPP/APP) | L&T/EPCOS(Siemens)/ABB/Crompton/ Schneider Electric/Neptune Ducati |
| 14 | Digital/ KWHrmeter | Schneider Electric/ AE/ Digitron / IMP/ Meco / Rishabh / Universal/HPL/L&T/ABB |
| 15 | Cold shrink HT/LT Cable Joint | Denson / 3M(M-Seal)/ Raychem |
| 16 | Rubber Matting | ISI mark |
| 17 | MCB/ Isolator /ELCB/RCCB/ Distribution Board | Crompton / Havells / Indokopp / MDS Legrand/ L&T / Schneider Electric/ Siemens / Standard/ C&S/ABB/HPL |
| 18 | MS/ PVC Conduit | ISI mark |
| 19 | Cable Tray | MEM/Bharti/Ratan/Slotco/Profab |
| 20 | HT/LT Cables | ISI mark |
| 21 | PVC insulated copper conductor wire | ISI mark |
| 22 | Centrifugal Pump | Amrut / BE / Beacon / Batliboi / Crompton / Jyoti / |

Contractor Page 26 of 31 Executive Engineer

| | | Kirloskar / KSB / Mather &platt / WASP/Grundfos |
|----|-------------------------------------|--|
| 23 | Submersible Pump | Crompton/Amrut / BE / Calama / Kirloskar / KSB |
| 24 | Motors | ABB/ Bharat Bijlee / Crompton Greaves / Schneider Electric / HBB / KEC / Siemens/Jyoti Ltd |
| 25 | Fresh Air Fans | GE / Khaitan/Almonard/Crompton |
| 26 | Starter | ABB / BCH / Schneider Electric / L&T / Siemens / |
| 27 | Single Phase Preventer | L&T / Minilec / Siemens / Zerotrip |
| 28 | GI/MS Pipe | ATC / ATL / BST / GSI / ITC / ITS / IIA / JST / Jindal /TTA / Tata/Zenith |
| 29 | Foot Valve | ISI mark |
| 30 | Gate Valve | Advance/Audco/Johnson Controls/Zoloto/Annapurna / Fountain / Kirloskar / Leader / Sant / Trishul |
| 31 | Compressors | Carrier/Emerson copeland/York/Danfoss (for chillers only) |
| 32 | Resin Bonded Glass wool | Fibre Glass / Pilkingston / UP Twiga |
| 33 | Expanded Polystyrene | BASF(India) Ltd. |
| 34 | Gauge | Feibig / H.Guru / Pricol |
| 35 | Controls | FLICA / Honeywell / Indfoss / Penn-Danfoss / Ranco / Ranutrol / Sporland |
| 36 | Fine Filters | Anfiltra Effluent / ARW / Athlete/ Airtake/ Dyna / Kirsloskar/ Puromatic/ Purafill/ Purolator / Tenacity |
| 37 | GI Sheet | HSU Jindal / National / Nippon Denro / Sail / Tata |
| 38 | Heat Detector | Appollo / Chemtron/ Edward / Fenwal/ Hochiki / Nitton /System Sensor/ Wormald/Honeywell Essar/Notifier |
| 39 | Ionization Detector | Appollo / Cerebrus / Edward/ /Fenwal / Hochiki / Nitton / System Sensor / Wormald |
| 40 | Photo Electric Smoke Detector | Appollo / Cerebrus / Edward / Fenwal/ Hochiki / Nitton / Wormald |
| 41 | Fire Panel (Microprocessor based) | Agni Instruments / Agni Devices/ Aruna Agencies/ Carmel Sensor / Ravel Elect./Honeywell Essar/Notifier/Navin Systems |
| 42 | Sprinkler/ Hose Reel & Hose Pipe | ISI mark |
| 43 | Fire Extinguisher | ISI mark |
| 44 | Lift | OTIS, Kone, Mitsubishi , Schindler, Johnson |

NOTE:

- 1. The accessories such as CT/PT/measuring instrument/relays provided by approved make in respect of Transformer/HT Panel/DG /AC Package Units as supplied by approved manufacturer along with the equipments are also acceptable in addition.
- Any other makes which are approved by BSNL CO up to the last date of sale of tender can also be used in this contract.

Contractor Page 27 of 31 Executive Engineer

LIST OF INDIAN STANDARDS

- I.S.325 Three Phase Induction Motors
- I.S.655 Metal Air Ducts
- I.S.732 Code of Practice for Electrical Wiring and fittings for Buildings.
- I.S.778 Gun Metal Gate, Globe and Check Valves for general purposes.
- I.S.900 Code of Practice for Installation and Maintenance of Induction Motors.
- I.S.996 Single Phase small AC and Universal Motors.
- I.S.1239 Mild Steel Tubes, G.I. Pipes, Tubular and other wrought steel fittings.
- I.S.1248 Direct Acting Electrical Indicating Instruments.
- I.S.1520 Horizontal Centrifugal Pumps for clear, cold and fresh water.
- I.S.1554 PVC Insulated (heavy duty) Electrical Cables
- (Part-I) for working voltages upto and including 110 volts.
- I.S.2372 Timber for cooling towers.
- I.S.2516 AC Circuit Breakers.
- I.S.2592 Recommendation for Methods of Measurements of Fluid flow by

means of Orifice Plates and Nozzles.

- I.S.1822 Motor Starters of Voltage not exceeding 1000 volts.
- I.S.2208 HRC Cartridge Fuse Links upto 650 volts.
- I.S.3589 Electrically welded steel pipes for water, gas and sewage.
- I.S.3624 Bourden Tube Pressure and Vacuum Gauges.
- I.S.4047 Heavy Duty air break switches and composite units of air break

switches and fuses for voltage not exceeding 1000 volts.

- I.S.6392 Steel Pipe Flanges.
- I.S.7403 Code of Practice for Selection of Standard Worm and Helical Gear

Boxes.

- I.S.8148 Specification for packaged air conditioning.
- CPWD General Specifications for Heating, Ventilation & Air conditioning (HVAC)-2004

IMPORTANT NOTE

All references to I.S.I. appearing in this specification may be read as Bureau of Indian Standards, Latest amended versions.

LIST OF SAFETY STANDARDS

- I.S.618 Code of Practice for safety and health requirements in Electrical and Gas Welding and Cutting Operations.
- I.S.659 Safety code for Air Conditioning.
- I.S.660 Safety code for Mechanical Refrigeration.
- I.S.3016 Code of Practice for Fire precautions in welding and cutting operations.
- I.S.3210 Code for Safety procedures and practices in Electrical works.
- I.S.3696 Safety for Scaffolds and Ladders.

Contractor Page 28 of 31 Executive Engineer

PROFORMA OF SCHEDULES

(Operative Schedules to be supplied separately to each intending tenderer)

SCHEDULE 'A'

Schedule of quantities: Attached

SCHEDULE 'B'

Schedule of materials to be issued to the Nil

bidder:

SCHEDULE 'C'

Tools and plants to be hired to the Nil

bidder:

SCHEDULE 'D'

Extra schedule for specific Nil

requirements/documents for the work, if any:

SCHEDULE 'E'

Schedule of components of Materials, Labour etc. Nil

for escalation:

SCHEDULE 'F'

Time allowed for execution

Reference to General Conditions of contract:

| Name of work: | |
|--|---|
| Estimated cost of work: | As nor NIT notification page |
| Earnest money: | As per NIT notification page |
| Security Deposit and performance Guarantee | |
| General Rules & Directions: Officer inviting | The Executive Engineer (Elect Plg &Tender), |
| tender: | BSNL, Electrical Circle-II, Chennai |
| Definitions: | |
| 2(v) Engineer-in-Charge | Executive Engineer (E) |
| | Electrical Division-IChennai |
| | |
| 2(vi) Accepting Authority | The Executive Engineer (Elect Plg &Tender), |
| _(, /.coopeg /.coc.) | BSNL, Electrical Circle-II, Chennai |
| 2(x) Percentage on cost of materials and | |
| labour | 10% (TEN) |
| to cover all over heads and profits | |
| CLAUSE 5 | |
| CLAUSE 3 | |

Contractor Page 29 of 31 Executive Engineer

15 days

BSNL EW-8

Bharat Sanchar Nigam Limited Electrical Wing

Electrical Division: **EE Tender, EC-2, Chennai** Sub Division: **ESD-II**

- I/we have read and examined the notice inviting tender, schedule, specifications applicable, Drawings & Designs, General Rules and Directions, Conditions of Contract, clauses of contract, special conditions, Schedule of Rates and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.
- 2. I/We hereby tender for the execution of the work specified for BSNL within the time specified, schedule of quantities and in accordance in all respects with the specifications, designs, drawings and instructions and other documents and Rules referred to in the conditions of contract and all other contents in the tender document for the work.
- 3. I/We agree to keep the tender open for ninety (90) days from the due date of submission thereof and not to make any modifications in its terms and conditions.
- 4. If I/We, fail to commence the work specified, I/We agree that the said BSNL shall without prejudice to any other right or remedy, be at liberty to forfeit the said earnest money absolutely and the same may at the option of the competent authority on behalf of BSNL be recovered without prejudice to any other right or remedy available in law out of the deposit in so far as the same may extend in terms of the said bond and in the event of deficiency out of any other money due to me/us under this contract or otherwise.
- 5. Should this tender be accepted, I/We agree to execute all the works referred to in the tender documents upon the terms and conditions contained or referred to therein and to carry out such deviations as may be ordered upto maximum of percentage mentioned in clause 12.3 of the tender form and those in excess of that limit at rates to be determined in accordance with provisions contained in clause 12.2.
- 6. I/we agree to furnish to BSNL, Deposit at Call receipt/FDR/ Bank guarantee of a Nationalized/ Scheduled Bank for an amount equal to 5% of the contract value in a standard format within two weeks from the date of issue of award letter. I/We agree to keep the performance bank guarantee valid as per the BSNL terms and conditions.
- 7. I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived therefrom to any person other than to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety or interest of BSNL.

Contractor Page 30 of 31 Executive Engineer

| Signature of Witness (required in the case of bidder's thumb impression is given by the bidder in place of signature) Occupation of Witness: | (Signature of bidder) (Name & Postal address) |
|--|---|
| | Seal of Bidder |
| | Date: |
| | |
| | |
| Acceptance | of Tender |
| The above tender (as modified by you as p | rovided in the letters mentioned hereunder) |
| s accepted by me for and on behalf | of BSNL for a sum of Rs. |
| Rupees |) |
| The letters referred to below shall form part o | f this contract Agreement. |
| a) | |
| o) | |
| | |
| | For & on behalf of BSNL |
| Dated | |
| Signat | ture: |

Contractor Page 31 of 31 Executive Engineer

Designation: